Villeroy & Boch
1748







Export

PRICE LIST 2026

SINKS · TAPS · ACCESSORIES

COLOUR RANGE

Classicline Ceramicplus

Flat	Flat	Flat	Flat				Flat
R1 White alpin glossy	RW Stone White	KR Cream glossy	FU Ivory	AM Almond	SM Steam	KD Fossil	i4 Graphite

Premiumline Ceramicplus

Flat		Flat	Flat	
KG Snow White glossy	TR Timber	R7 Pure Black	J0 Chromite glossy	R8 Morning Green*

Trendline Ceramicplus

KT Decor white pearl	M1 Decor Mosaïque	M7 Mosaïque Black

Please consult the inner pages of the price list for the availability of colours for the different sink models.

Please consult the inner pages of the price list for the availability of colours for the different sink models.



CERAMIC SINKS FROM VILLEROY & BOCH

THE HIGHEST QUALITY
A LIFETIME LONG

Ceramics from Villeroy & Boch combine the experience of traditional craftsmanship with maximum industrial precision. The result: products that enrich life with good design, lasting quality and with an assured sense of style. Kitchen sinks from Villeroy & Boch combine practicality and design with the tried-and-tested qualities of ceramics, which are offered by almost no other material. Discover the decisive advantages of Villeroy & Boch ceramics:

1. *Scratch- and knife-resistant*
2. *Acid-resistant*
3. *Heat-resistant*
4. *Shock-resistant*
5. *Hygienic and food-safe*
6. *Stain proof*
7. *Lightfast in each colour*
8. *Easy to clean thanks to CeramicPlus*



INDEX

GENERAL INFORMATION 5

BUILT-IN SINKS

Size of undercabinet 80 cm 16
Size of undercabinet 60 cm 17
Size of undercabinet 50 cm 29
Size of undercabinet 45 cm 37

UNDERCOUNTER SINKS 45

FLUSHMOUNTED SINKS

Size of undercabinet 60 cm 54
Size of undercabinet 50 cm 64
Size of undercabinet 45 cm 71

MODULES / CORNER SINKS 76

TAPS 82

SPARE PARTS AND ACCESSORIES 100

INSTALLATION INSTRUCTIONS / PLANNING INFORMATION 108

GENERAL SALES AND DELIVERY CONDITIONS 118

IMPORTANT NOTE

This price list replaces all previously valid price lists. It is valid for deliveries as of 1st July 2026. The prices given in this price list are recommended retail prices (VAT not included). Variations in colour and dimensions apply within the standard tolerances. We reserve the right to change colours and models. Ceramic materials from Villeroy & Boch possess a high degree of inherent stability. They are able to withstand all water temperatures and temperature shocks from hot and cold water and are resistant to steam. The glazes on sanitary ceramics from Villeroy & Boch are to a certain extent scratch-proof and resistant to all alkalis and acids which are common in the sanitary area. This scope of resistance does not include hydrofluoric acid and its compounds. Organic solvents and intensive agents will not affect the glaze. All offers, sales and deliveries of sanitary ceramic items and accessories are based on „General Sales and Delivery Conditions of Villeroy & Boch AG Bath and Wellness Division“. The manufacturer‘s consent shall be required for reproduction or duplication in any from, including extracts.






ORDERING SINKS WITH TAP HOLES


When placing your order, please state the complete article number, including the desired drilled tap holes. Surcharge: 5.00 £/drilled hole (If no drilled tap holes are required, the original article number applies without the additional hole specification.)

Example	Sink	Composition of available article numbers			Available article numbers
		Article number	Drilled tap hole	Tap hole position/s	
1	Subway Style sink with hand-operated waste in the colour R1 and tap hole 1 pre-drilled.	336101R1	HL	1	336101R1HL1
2	Subway Style sink with pop-up waste in the colour R1 and tap holes 2 and 4 pre-drilled.	336102R1	HL	24	336102R1HL24
3	Subway Style Flat sink with pop-up waste in the colour R1 and tap holes 1, 2 and 4 pre-drilled.	33612FR1	HL	124	33612FR1HL124
4	Subway Style sink with pop-up waste in the colour R1 without drilled tap hole.	336102R1	-	-	336102R1

Please note that in the case of the Arena Corner and Solo Corner sinks pre-drilled hole 1 must also be specified in the order if you require several drilled tap holes.


Sample tap hole overview for Subway Style sink





When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Sample tap hole overview for Monumentum sink



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

CERAMIC SINKS: DÉCORS

BRING YOUR CERAMICS TO LIFE

La Rose and White Pearl, two charming white-on-white decors available for selected sinks. Inspired by extensive expertise in decorative techniques from the tableware sector, the unique La Rose and White Pearl surface finishes are available exclusively from Villeroy & Boch.
The new Mosaïque décor is inspired by Villeroy & Boch's famous ceramic Mettlach tiles. Many of the original pieces can still be seen today - at locations steeped in history such as Cologne Cathedral or the Holland Tunnel under the Hudson River in New York. Fascinatingly three-dimensional and unique in its effect, the décor embellishes the butler sink with a fine geometric pattern to make it the centrepiece of the modern kitchen.




WHITE PEARL DÉCOR



Mosaïque DÉCOR







DEKOR WHITE PEARL KT

Art.no.	on tap ledge
6323	Butler sink 90 cm
6320	Butler sink 60 cm

DEKOR MOSAÏQUE M1

Art.no.	on tap ledge
6323	Butler sink 90 cm
6320	Butler sink 60 cm

DEKOR MOSAÏQUE BLACK M7

Art.no.	on tap ledge
6323	Butler sink 90 cm
6320	Butler sink 60 cm

Our décors are only available for the basic colour White Alpin (glossy) and for Butler sinks.

CERAMIC SINKS: ADVANTAGES

A VERY SPECIAL MATERIAL

Kitchen sinks are subject to considerable stress because contact with acidic foods, sharp kitchen implements and hot pans is part and parcel of everyday life. This makes the quality of the material all the more important. With a ceramic sink from Villeroy & Boch, you benefit from 270 years of experience, revolutionary production techniques and 100% natural raw materials. For maximum comfort, minimum maintenance and unparalleled durability.



1. SCRATCH- AND KNIFE-RESISTANT

The high-quality surface is so robust that even knives hardly leave a trace.

2. ACID-RESISTANT

Our ceramic easily withstands contact with acidic foods or household cleaning agents.



3. HEAT-RESISTANT

Hot oven dishes don't leave a mark on Villeroy & Boch ceramic sinks.

4. SHOCK-RESISTANT

Thanks to the great material stability, the sinks are impact-resistant, even when heavy pots and pans are placed on them.



5. HYGIENIC AND FOOD-SAFE

The natural material does not take on flavours or smells and so is absolutely food safe.



6. STAIN-PROOF

Food and drinks don't leave any trace on the surface of our ceramic sinks.



7. LIGHTFAST IN EACH COLOUR

Even after long-term exposure to direct sunlight, our ceramic colours stay as vivid as on the very first day.



8. ESPECIALLY EASY TO CLEAN

Our ceramic is very easy to clean. Thanks to the CeramicPlus finish, dirt and limescale almost disappear of their own accord.

INNOVATIONS FOR UNIQUE QUALITY

Villeroy & Boch product development focuses on sophisticated designs with outstanding product properties. In the kitchen in particular, stability and hygiene are crucial. Two Villeroy & Boch innovations offer clear advantages:

TITANCERAM


Villeroy & Boch's answer to the question of future materials is to fuse selected natural raw materials such as feldspar, quartz, clay and titanium dioxide to create the innovative TitanCeram. For the first time, this material permits the manufacture of products with a unique, precise design and very thin walls, sharply defined edges and all the advantages of first-class ceramics.

CERAMICPLUS

The CeramicPlus finish ensures optimum hygiene and fresh cleanliness on kitchen surfaces: liquids form beads which simply roll down the drain. Dirt and limescale are virtually unable to gain a hold. So cleaning is quick and easy without the use of any agents that are harmful to the environment.



Conventional ceramics



CeramicPlus finish



Ceramics from master craftsmen

SUBWAY STYLE

Maximum utility in a minimum of space



- Subway Style 60 S - “form follows function” - the on-trend and functional sink area
- Additional functional level thanks to all-round ledge in the sink to support practical accesso ries
- Smart accessories allow use at various levels for enhanced user-friendliness
- Coordinated accessories in space-saving design, ideal for conveniently preparing food in the sink area
- The scope of delivery includes the high-quality draining rack

The smart tool for planning and personal selling Now for kitchen sinks and tap fittings, too!

Download on the App Store | GET IT ON Google Play | Get it from Microsoft

Full info also available at:
pro.villeroy-boch.com/villeroybochapp-kueche



VILLEROY & BOCH APP

THE VILLEROY & BOCH APP



CURRENT DELIVERY INFORMATION AND PRICES

CONFIGURATOR BRINGS CUSTOMERS' WISHES TO LIFE

DATA SHEETS AND INSTALLATION INSTRUCTIONS

PRODUCT SUGGESTIONS TO BOOST SALES

SAMPLE FOLDER CREATED AUTOMATICALLY

OPTIONAL OFFLINE MODE

THE SMART TOOL FOR PLANNING AND CONSULTATION

Now you have the full information on Villeroy & Boch bathrooms at your fingertips. A glance at your smartphone, tablet or PC is all it takes to find current dimensions and prices while you're out and about or to configure model variants and check availability while advising customers.

Download on the App Store | GET IT ON Google Play | Get it from Microsoft

For smartphone, tablet and PC.
Find out more: **pro.villeroy-boch.com/villeroybochapp**

CERAMIC SINKS: THE RANGE

Built-in sinks
80 cm Size of undercabinet



Architectura 80
1160x510 mm
3380 (16)



Subway 80 U
750x440 mm
3388 (44)

Built-in and undercounter sinks
60 cm Size of undercabinet



Architectura 60
1000x510 mm
3360 (17)



Architectura 60 XR
1000x510 mm
3365 (18)



Linara 60
1000x510 mm
3386 (19)




Siluet 60
1000x510 mm
3336 (20)



Siluet 60 R
1000x510 mm
3337 (21)



Siluet 60 S
600x510 mm
3346 (22)



Subway Style 60
1000x510 mm
3361 (23)



Subway Style 60 S
600x510 mm
3366 (24)



Subway 60
1000x510 mm
6712 (25)



Subway 60 S
600x510 mm
3309 (26)



Subway 60 XM
620x510 mm
6780 27



Timeline 60
1000x510 mm
6790 (28)



Cisterna 60C
550x440 mm
6706 (45)



Subway 60 SU
545x440 mm
3310 (48)



Subway 60 XU
545x440 mm
6758 (49)

CERAMIC SINKS: THE RANGE

Built-in and undercounter sinks
50 cm Size of undercabinet



Architectura 50

860x510 mm
3350 (29)



Linara 50

860x510 mm
3385 (30)



Siluet 50

900x510 mm
3335 (31)



Siluet 50 S

510x510 mm
3345 (32)



Subway Style 50

900x510 mm
3351 (33)



Subway Style 50 S

500x510 mm
3355 (34)



Subway 50 S

525x510 mm
3315 (35)



Timeline 50

900x510 mm
3307 (36)



Cisterna 50

445x445 mm
6703 (46)



Subway 50 SU

440x440 mm
3325 (50)

Built-in and undercounter sinks
45 cm Size of undercabinet



Architectura 45

800x510 mm
3340 (37)



Linara 45

800x510 mm
3384 (38)



Siluet 45

800x510 mm
3334 (39)



Subway 45 Compact

650x510 mm
3313 (40)



Subway Style 45

780x510 mm
3347 (41)



Subway 45 XS

475x510 mm
6781 (42)



Cisterna 45

370x435 mm
6704 (47)



Subway 45 SU

375x440 mm
3324 (51)

CERAMIC SINKS: THE RANGE

Flush-mounted sinks
60 cm Size of undercabinet



Linara 60 Flat

980x490 mm
3386 (54)



Siluet 60 flat

980x490 mm
3336 (55)



Siluet 60 R flat

980x490 mm
3337 (56)



Siluet 60 S flat

580x490 mm
3346 (57)



Subway Style 60 Flat

980x490 mm
3361 (58)



Subway Style 60 S Flat

580x490 mm
3366 (59)



Subway 60 flat

965x475 mm
6712 (60)



Subway 60 S flat

565x475 mm
3309 (61)



Subway 60 XM flat

585x475 mm
6780 (62)



Timeline 60 flat

965x475 mm
6790 (63)

Flush-mounted sinks
50 cm Size of undercabinet



Linara 50 Flat

840x490 mm
3385 (64)



Siluet 50 flat

880x490 mm
3335 (65)



Siluet 50 S flat

490x490 mm
3345 (66)



Subway Style 50 Flat

880x490 mm
3351 (67)



Subway Style 50 S Flat

500x510 mm
3355 (68)



Subway 50 S flat

490x475 mm
3315 (69)



Timeline 50 flat

865x475 mm
3307 (70)

CERAMIC SINKS: THE RANGE

Flush-mounted sinks

45 cm Size of undercabinet



Linara 45 Flat

780x490 mm
3384 (71)



Siluet 45 flat

780x490 mm
3334 (72)



Subway Style 45 Flat

780x510 mm
3347 (73)



Subway 45 XS flat

440x475 mm
6781 (74)

Modules



Double-bowl sink

895x630 mm
6323 (76)



Single-bowl sink

595x630 mm
6320 (77)



Farmhouse 90 X

900x550 mm
6390 (78)



Farmhouse 80 X

795x500 mm
6380 (79)



Farmhouse 60 X

595x500 mm
6360 (80)

Corner sinks



Solo corner

1075x600 mm
6708 (81)

ARCHITECTURA 80

€ excl. VAT



- **The sink is reversible**
- For surface-mounted installation
- Minimum width of undersink cabinet: 80 cm
- 2 basins, closable
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for double turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3380 01 XX	Sink inclusive Waste system, Round hand-operated	1.430,-	1.605,-
3380 02 XX	Sink inclusive Waste system, Round pop-up	1.540,-	1.712,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K36 10 00	Universal cutting board, walnut	239,-
8345 47 K1	Inset strainer	175,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
8223 00 61	Waste system, hand-operated	157,-
8226 10 00	Waste system, pop-up without cover cap	267,-



View of holes for tap fittings


3380




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

3380





Please refer to the assembly instructions
Recess in worktop: 113 x 48 cm

ARCHITECTURA 60

€ excl. VAT



- **The sink is reversible**
- For surface-mounted installation
- Minimum width of undersink cabinet: 60 cm
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3360 01 XX	Sink inclusive Waste system, Round hand-operated	1.030,-	1.154,-
3360 02 XX	Sink inclusive Waste system, Round pop-up	1.160,-	1.284,-


Classicline CeramicPlus

R1 White Alpin CeramicPlus
RW Stone White CeramicPlus
SM Steam CeramicPlus
FU Ivory CeramicPlus
AM Almond CeramicPlus
i4 Graphite CeramicPlus
KD Fossil CeramicPlus
KR Crema CeramicPlus

Premiumline CeramicPlus


KG Snow White CeramicPlus
J0 Chromit CeramicPlus
R7 Pure Black
R8 Morning Green CeramicPlus
TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K36 10 00	Universal cutting board, walnut	239,-
8K12 00 K1	Salad basket	194,-
8345 47 K1	Inset strainer	175,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-



View of holes for tap fittings


3360




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

3360





Please refer to the assembly instructions
Recess in worktop: 97 x 48 cm

ARCHITECTURA 60 XR

€ excl. VAT



- **The sink is reversible**
- For surface-mounted installation
- Minimum width of undersink cabinet: 60 cm
- 2 basins, closable
- Compatible with steamer container 1/3
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for double turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3365 01 XX	Sink inclusive Waste system, Round hand-operated	1.050,-	1.166,-
3365 02 XX	Sink inclusive Waste system, Round pop-up	1.158,-	1.275,-

Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K36 10 00	Universal cutting board, walnut	239,-
8331 00 K1	Salad basket	194,-
8345 47 K1	Inset strainer	175,-
9624 15 LC	Cap waste cover	51,-
8299 06 K1	Steamer tray 1/3	67,-
9K13 00 71	Folding draining rack	180,-
8223 00 61	Waste system, hand-operated	157,-
8226 10 00	Waste system, pop-up without cover cap	267,-



View of holes for tap fittings


3365



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

3365



Please refer to the assembly instructions
Recess in worktop: 97 x 48 cm

LINARA 60

€ excl. VAT



- **The sink is reversible**
- For surface-mounted installation
- Minimum width of undersink cabinet: 60 cm
- Registered design
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3386 01 XX	Sink inclusive Waste system, Round hand-operated	1.157,-	1.295,-
3386 02 XX	Sink inclusive Waste system, Round pop-up	1.283,-	1.425,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K44 00 00	Universal cutting board made of European oak	196,-
8K45 00 00	Universal cutting board made of Thermal ash	196,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-



View of holes for tap fittings


3386




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

3386





Please refer to the assembly instructions
Recess in worktop: 97 x 48 cm

SILUET 60

€ excl. VAT



- **The sink is reversible**
- For surface-mounted installation
- Minimum width of undersink cabinet: 60 cm
- Steamer containers 1/3 and 2/3 compatible with salad basket
- **Material: TitanCeram**
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3336 01 XX	Sink inclusive Waste system, Round hand-operated	1.486,-	1.678,-
3336 02 XX	Sink inclusive Waste system, Round pop-up	1.616,-	1.808,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K36 10 00	Universal cutting board, walnut	239,-
9K10 00 K1	Salad basket	298,-
9624 15 LC	Cap waste cover	51,-
8299 06 K1	Steamer tray 1/3	67,-
8299 05 K1	Steamer tray 2/3	91,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-



View of holes for tap fittings


3336



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

3336



Please refer to the assembly instructions
Recess in worktop: 97 x 48 cm

SILUET 60 R

€ excl. VAT



- **The sink is reversible**
- For surface-mounted installation
- Minimum width of undersink cabinet: 60 cm
- Steamer container 1/3, compatible with smaller bowl or salad basket
- **Material: TitanCeram**
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3337 01 XX	Sink inclusive Waste system, Round hand-operated	1.643,-	1.853,-
3337 02 XX	Sink inclusive Waste system, Round pop-up	1.746,-	1.958,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K36 10 00	Universal cutting board, walnut	239,-
9K11 00 K1	Salad basket	281,-
9624 15 LC	Cap waste cover	51,-
8299 06 K1	Steamer tray 1/3	67,-
9K13 00 71	Folding draining rack	180,-
8K92 00 61	Waste system, hand-operated	118,-
8K96 10 00	Waste system, pop-up without cover cap	222,-



View of holes for tap fittings


3337



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

3337



Please refer to the assembly instructions
Recess in worktop: 97 x 48 cm

SILUET 60 S

€ excl. VAT



- For surface-mounted installation
- Minimum width of undersink cabinet: 60 cm
- **Material: TitanCeram**
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3346 01 XX	Sink inclusive Waste system hand-operated	1.301,-	1.456,-
3346 02 XX	Sink inclusive Waste system, Round pop-up	1.370,-	1.525,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus

Premiumline CeramicPlus

- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K36 10 00	Universal cutting board, walnut	239,-
9K04 00 K1	Inset strainer	89,-
9220 58 00	Installation kit	29,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
8K94 00 61	Waste system, hand-operated	148,-
8K82 10 00	Waste system, pop-up without cover cap	218,-



View of holes for tap fittings


3346




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

3346





Please refer to the assembly instructions
Recess in worktop: 57 x 48 cm

SUBWAY STYLE 60

€ excl. VAT



- Available with bowl on the right or left-hand side
- For surface-mounted installation
- Minimum width of undersink cabinet: 60 cm
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3361 01 XX	Sink basin right inclusive Waste system, Round hand-operated	1.293,-	1.456,-
3362 01 XX	Sink basin left inclusive Waste system, Round hand-operated	1.293,-	1.456,-
3361 02 XX	Sink basin right inclusive Waste system, Round pop-up	1.423,-	1.585,-
3362 02 XX	Sink basin left inclusive Waste system, Round pop-up	1.423,-	1.585,-

Classicline CeramicPlus

R1 White Alpin CeramicPlus
RW Stone White CeramicPlus
SM Steam CeramicPlus
FU Ivory CeramicPlus
AM Almond CeramicPlus
i4 Graphite CeramicPlus
KD Fossil CeramicPlus
KR Crema CeramicPlus

Premiumline CeramicPlus


KG Snow White CeramicPlus
J0 Chromit CeramicPlus
R7 Pure Black
R8 Morning Green CeramicPlus
TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
9K13 00 71	Folding draining rack	180,-
9K13 00 05	Folding draining rack	180,-
8K36 10 00	Universal cutting board, walnut	239,-
9624 15 LC	Cap waste cover	51,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-




View of holes for tap fittings

3361




3362




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.


Engineering data


3361



3362







Please refer to the assembly instructions
Recess in worktop: 97 x 48 cm

SUBWAY STYLE 60 S

€ excl. VAT



- All-round ledge supports practical accessories
- For surface-mounted installation
- Minimum width of undersink cabinet: 60 cm
- Registered design
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3366 01 XX	Sink inclusive Waste system, Round hand-operated and Draining rack, Angular	1.153,-	1.277,-
336A 01 XX	Sink inclusive Waste system, Round hand-operated and Draining rack, Angular	1.153,-	1.277,-
3366 02 XX	Sink inclusive Waste system, Round pop-up and Draining rack, Angular	1.277,-	1.402,-
336A 02 XX	Sink inclusive Waste system, Round pop-up and Draining rack, Angular	1.277,-	1.402,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- R8 Morning Green CeramicPlus
- TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
8K42 10 00	European oak cutting board	115,-
8K43 00 00	Universal cutting board made of European oak	191,-
9624 15 LC	Cap waste cover	51,-
9K14 00 71	Draining rack	120,-
8K38 00 K1	Strainer bowl	180,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-



View of holes for tap fittings


3366



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

3366



Please refer to the assembly instructions
Recess in worktop: 57 x 48 cm

SUBWAY 60

€ excl. VAT



- Available with bowl on the right or left-hand side
- For surface-mounted installation
- Minimum width of undersink cabinet: 60 cm
- Registered design
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
6712 01 XX	Sink basin right inclusive Waste system, Round hand-operated	1.362,-	1.531,-
6770 01 XX	Sink basin left inclusive Waste system, Round hand-operated	1.362,-	1.531,-
6712 02 XX	Sink basin right inclusive Waste system, Round pop-up	1.465,-	1.634,-
6770 02 XX	Sink basin left inclusive Waste system, Round pop-up	1.465,-	1.634,-

Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K33 10 00	Walnut cutting board with compact core	208,-
8K36 10 00	Universal cutting board, walnut	239,-
8K04 00 K1	Salad basket	194,-
9K04 00 K1	Inset strainer	89,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
8K37 00 K1	Strainer bowl	166,-
8214 00 61	Waste system, hand-operated	118,-
8215 10 00	Waste system, pop-up without cover cap	222,-




View of holes for tap fittings

6712




6770




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

6712



6770



Please refer to the assembly instructions
Recess in worktop: 97 x 48 cm

SUBWAY 60 S

€ excl. VAT



- For surface-mounted installation
- Minimum width of undersink cabinet: 60 cm
- Registered design
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3309 01 XX	Sink inclusive Waste system, Round hand-operated	1.163,-	1.308,-
3309 02 XX	Sink inclusive Waste system, Round pop-up	1.294,-	1.437,-

Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- R8 Morning Green CeramicPlus
- TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K33 10 00	Walnut cutting board with compact core	208,-
8K36 10 00	Universal cutting board, walnut	239,-
8K31 00 K1	Salad basket	194,-
9K04 00 K1	Inset strainer	89,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
9K14 00 71	Draining rack	120,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-



View of holes for tap fittings


3309



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

3309





Please refer to the assembly instructions
Recess in worktop: 57 x 48 cm

SUBWAY 60 XM

€ excl. VAT



- For surface-mounted installation
- Minimum width of undersink cabinet: 60 cm
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ceramic Plus

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
6780 01 XX	Sink inclusive Waste system, Round hand-operated	1.220,-	1.368,-
6780 02 XX	Sink inclusive Waste system, Round pop-up	1.325,-	1.472,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K36 10 00	Universal cutting board, walnut	239,-
8K04 00 K1	Salad basket	194,-
9K04 00 K1	Inset strainer	89,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
8K37 00 K1	Strainer bowl	166,-
8214 00 61	Waste system, hand-operated	118,-
8215 10 00	Waste system, pop-up without cover cap	222,-



View of holes for tap fittings


6780




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

6780





Please refer to the assembly instructions
Recess in worktop: 59 x 48 cm

TIMELINE 60

€ excl. VAT



- **The sink is reversible**
- For surface-mounted installation
- Minimum width of undersink cabinet: 60 cm
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
6790 01 XX	Sink inclusive Waste system, Round hand-operated	1.413,-	1.594,-
6790 02 XX	Sink inclusive Waste system, Round pop-up	1.543,-	1.725,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K36 10 00	Universal cutting board, walnut	239,-
8K12 00 K1	Salad basket	194,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-



View of holes for tap fittings


6790




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

6790





Please refer to the assembly instructions
Recess in worktop: 97 x 48 cm

ARCHITECTURA 50

€ excl. VAT



- **The sink is reversible**
- For surface-mounted installation
- Minimum width of undersink cabinet: 50 cm
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3350 01 XX	Sink inclusive Waste system, Round hand-operated	914,-	1.021,-
3350 02 XX	Sink inclusive Waste system, Round pop-up	1.044,-	1.021,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- R8 Morning Green CeramicPlus
- TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K36 10 00	Universal cutting board, walnut	239,-
8345 47 K1	Inset strainer	175,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-



View of holes for tap fittings


3350




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

3350





Please refer to the assembly instructions
Recess in worktop: 83 x 48 cm

LINARA 50

€ excl. VAT



- **The sink is reversible**
- For surface-mounted installation
- Minimum width of undersink cabinet: 50 cm
- Registered design
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3385 01 XX	Sink inclusive Waste system, Round hand-operated	1.045,-	1.173,-
3385 02 XX	Sink inclusive Waste system, Round pop-up	1.175,-	1.301,-

Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K44 00 00	Universal cutting board made of European oak	196,-
8K45 00 00	Universal cutting board made of Thermal ash	196,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-



View of holes for tap fittings


3385




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

3385





Please refer to the assembly instructions
Recess in worktop: 83 x 48 cm

SILUET 50

€ excl. VAT



- **The sink is reversible**
- For surface-mounted installation
- Minimum width of undersink cabinet: 50 cm
- Steamer container 1/3 compatible with salad basket
- **Material: TitanCeram**
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3335 01 XX	Sink inclusive Waste system, Round hand-operated	1.326,-	1.494,-
3335 02 XX	Sink inclusive Waste system, Round pop-up	1.456,-	1.624,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K36 10 00	Universal cutting board, walnut	239,-
9K11 00 K1	Salad basket	281,-
9624 15 LC	Cap waste cover	51,-
8299 06 K1	Steamer tray 1/3	67,-
9K13 00 71	Folding draining rack	180,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-



View of holes for tap fittings


3335




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

3335





Please refer to the assembly instructions
Recess in worktop: 87 x 48 cm

SILUET 50 S

€ excl. VAT



- For surface-mounted installation
- Flexible installation of the sink: the strainer bowl can be positioned at the back or to either the right- or left-hand side
- Minimum width of undersink cabinet: 50 cm
- **Material: TitanCeram**
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3345 01 XX	Sink inclusive Waste system hand-operated	1.152,-	1.285,-
3345 02 XX	Sink inclusive Waste system, Round pop-up	1.221,-	1.355,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K36 10 00	Universal cutting board, walnut	239,-
9K04 00 K1	Inset strainer	89,-
8345 47 K1	Inset strainer	175,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
8K94 00 61	Waste system, hand-operated	148,-
8K82 10 00	Waste system, pop-up without cover cap	218,-



View of holes for tap fittings


3345



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

3345



Please refer to the assembly instructions
Recess in worktop: 48 x 48 cm

SUBWAY STYLE 50

€ excl. VAT



- Available with bowl on the right or left-hand side
- For surface-mounted installation
- Minimum width of undersink cabinet: 50 cm
- Registered design
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3351 01 XX	Sink basin right inclusive Waste system, Round hand-operated	1.189,-	1.336,-
3352 01 XX	Sink basin left inclusive Waste system, Round hand-operated	1.189,-	1.336,-
3351 02 XX	Sink basin right inclusive Waste system, Round pop-up	1.318,-	1.466,-
3352 02 XX	Sink basin left inclusive Waste system, Round pop-up	1.318,-	1.466,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- R8 Morning Green CeramicPlus
- TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
9K13 00 71	Folding draining rack	180,-
9K13 00 05	Folding draining rack	180,-
8K36 10 00	Universal cutting board, walnut	239,-
9K11 00 K1	Salad basket	281,-
9624 15 LC	Cap waste cover	51,-
8299 06 K1	Steamer tray 1/3	67,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-




View of holes for tap fittings

3351




3352




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

3351



3352



Please refer to the assembly instructions
Recess in worktop: 87 x 48 cm

SUBWAY STYLE 50 S

€ excl. VAT



- All-round ledge supports practical accessories
- For surface-mounted installation
- Minimum width of undersink cabinet: 50 cm
- Registered design
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ceramic Plus

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3355 01 XX	Sink inclusive Waste system, Round hand-operated and Draining rack, Angular	964,-	1.062,-
335A 01 XX	Sink inclusive Waste system, Round hand-operated and Draining rack, Angular	964,-	1.062,-
3355 02 XX	Sink inclusive Waste system, Round pop-up and Draining rack, Angular	1.094,-	1.192,-
335A 02 XX	Sink inclusive Waste system, Round pop-up and Draining rack, Angular	1.094,-	1.192,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- R8 Morning Green CeramicPlus
- TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
8K42 10 00	European oak cutting board	115,-
8K43 00 00	Universal cutting board made of European oak	191,-
9624 15 LC	Cap waste cover	51,-
9K14 00 71	Draining rack	120,-
8K38 00 K1	Strainer bowl	180,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-



View of holes for tap fittings


3355




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

3355





Please refer to the assembly instructions
Recess in worktop: 46 x 47 cm

SUBWAY 50 S

€ excl. VAT



- For surface-mounted installation
- Minimum width of undersink cabinet: 50 cm
- Steamer containers 1/3 and 2/3 compatible with salad basket
- Registered design
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ceramic Plus

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3315 01 XX	Sink inclusive Waste system, Round hand-operated	1.032,-	1.157,-
3315 02 XX	Sink inclusive Waste system, Round pop-up	1.162,-	1.287,-

Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- R8 Morning Green CeramicPlus
- TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K33 10 00	Walnut cutting board with compact core	208,-
8K36 10 00	Universal cutting board, walnut	239,-
9841 00 K1	Salad basket	194,-
9K04 00 K1	Inset strainer	89,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
8K37 00 K1	Strainer bowl	166,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-



View of holes for tap fittings


3315




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

3315





Please refer to the assembly instructions
Recess in worktop: 49,5 x 48 cm

TIMELINE 50

€ excl. VAT



- **The sink is reversible**
- For surface-mounted installation
- Minimum width of undersink cabinet: 50 cm
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3307 01 XX	Sink inclusive Waste system, Round hand-operated	1.260,-	1.419,-
3307 02 XX	Sink inclusive Waste system, Round pop-up	1.390,-	1.548,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K36 10 00	Universal cutting board, walnut	239,-
9K09 00 K1	Salad basket	194,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-



View of holes for tap fittings


3307



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

3307



Please refer to the assembly instructions
Recess in worktop: 87 x 48 cm

ARCHITECTURA 45

€ excl. VAT



- **The sink is reversible**
- For surface-mounted installation
- Minimum width of undersink cabinet: 45 cm
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3340 01 XX	Sink inclusive Waste system, Round hand-operated	886,-	988,-
3340 02 XX	Sink inclusive Waste system, Round pop-up	1.016,-	1.118,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- R8 Morning Green CeramicPlus
- TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
9K13 00 71	Folding draining rack	180,-
9K13 00 05	Folding draining rack	180,-
8K36 10 00	Universal cutting board, walnut	239,-
8345 47 K1	Inset strainer	175,-
9624 15 LC	Cap waste cover	51,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-



View of holes for tap fittings


3340




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

3340





Please refer to the assembly instructions
Recess in worktop: 77 x 48 cm

LINARA 45

€ excl. VAT



- **The sink is reversible**
- For surface-mounted installation
- Minimum width of undersink cabinet: 45 cm
- Registered design
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3384 01 XX	Sink inclusive Waste system, Round hand-operated	945,-	1.057,-
3384 02 XX	Sink inclusive Waste system, Round pop-up	1.075,-	1.186,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K44 00 00	Universal cutting board made of European oak	196,-
8K45 00 00	Universal cutting board made of Thermal ash	196,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-



View of holes for tap fittings


3384




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

3384





Please refer to the assembly instructions
Recess in worktop: 77 x 48 cm

SILUET 45

€ excl. VAT



- **The sink is reversible**
- For surface-mounted installation
- Minimum width of undersink cabinet: 45 cm
- Steamer container 1/3 compatible with salad basket
- **Material: TitanCeram**
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3334 01 XX	Sink inclusive Waste system, Round hand-operated	1.157,-	1.299,-
3334 02 XX	Sink inclusive Waste system, Round pop-up	1.287,-	1.429,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K36 10 00	Universal cutting board, walnut	239,-
9K12 00 K1	Salad basket	267,-
9624 15 LC	Cap waste cover	51,-
8299 06 K1	Steamer tray 1/3	67,-
9K13 00 71	Folding draining rack	180,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-



View of holes for tap fittings


3334




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

3334





Please refer to the assembly instructions
Recess in worktop: 77 x 48 cm

SUBWAY 45 COMPACT

€ excl. VAT



- Available with bowl on the right or left-hand side
- For surface-mounted installation
- Minimum width of undersink cabinet: 45 cm
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3312 01 XX	Sink basin left inclusive Waste system, Round hand-operated	1.001,-	1.120,-
3313 01 XX	Sink basin right inclusive Waste system, Round hand-operated	1.001,-	1.120,-
3312 02 XX	Sink basin left inclusive Waste system, Round pop-up	1.131,-	1.250,-
3313 02 XX	Sink basin right inclusive Waste system, Round pop-up	1.131,-	1.250,-

Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K33 10 00	Walnut cutting board with compact core	208,-
8K36 10 00	Universal cutting board, walnut	239,-
8K06 00 K1	Salad basket	194,-
9K04 00 K1	Inset strainer	89,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
8K37 00 K1	Strainer bowl	166,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-




View of holes for tap fittings

3312




3313




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.


Engineering data


3312



3313







Please refer to the assembly instructions
Recess in worktop: 62 x 48 cm

SUBWAY STYLE 45

€ excl. VAT



- Available with bowl on the right or left-hand side
- For surface-mounted installation
- Minimum width of undersink cabinet: 45 cm
- Registered design
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3347 01 XX	Sink basin right inclusive Waste system, Round hand-operated	887,-	992,-
3348 01 XX	Sink basin left inclusive Waste system, Round hand-operated	887,-	992,-
3347 02 XX	Sink basin right inclusive Waste system, Round pop-up	1.018,-	1.122,-
3348 02 XX	Sink basin left inclusive Waste system, Round pop-up	1.018,-	1.122,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- R8 Morning Green CeramicPlus
- TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
9K13 00 71	Folding draining rack	180,-
9K13 00 05	Folding draining rack	180,-
8K44 00 00	Universal cutting board made of European oak	196,-
8K45 00 00	Universal cutting board made of Thermal ash	196,-
8K06 00 K1	Salad basket	194,-
9624 15 LC	Cap waste cover	51,-
8299 06 K1	Steamer tray 1/3	67,-
9K16 00 00	Strainer bowl	181,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-




View of holes for tap fittings

3347




3348




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

3347



3348



Please refer to the assembly instructions
Recess in worktop: 74 x 47 cm

SUBWAY 45 XS

€ excl. VAT



- For surface-mounted installation
- Minimum width of undersink cabinet: 45 cm
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
6781 01 XX	Sink inclusive Waste system, Round hand-operated	1.005,-	1.126,-
6781 02 XX	Sink inclusive Waste system, Round pop-up	1.135,-	1.255,-

Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K33 10 00	Walnut cutting board with compact core	208,-
8K36 10 00	Universal cutting board, walnut	239,-
8K06 00 K1	Salad basket	194,-
9K04 00 K1	Inset strainer	89,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
8K37 00 K1	Strainer bowl	166,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-



View of holes for tap fittings


6781




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

6781





Please refer to the assembly instructions
Recess in worktop: 44,5 x 48 cm

UNDERCOUNTER SINKS: OVERVIEW

Flush-mounted sinks
80 cm Size of undercabinet



Subway 80 U

750x440 mm
3388 (44)

Undercounter sinks
60cm Size of undercabinet



Cisterna 60C

550x440 mm
6706 (45)



Subway 60 SU

545x440 mm
3310 (48)



Subway 60 XU

545x440 mm
6758 (49)

Undercounter sinks
50cm Size of undercabinet



Cisterna 50

445x445 mm
6703 (46)



Subway 50 SU

440x440 mm
3325 (50)

Undercounter sinks
45cm Size of undercabinet



Cisterna 45

370x435 mm
6704 (47)



Subway 45 SU

375x440 mm
3324 (51)

SUBWAY 80 U

€ excl. VAT



- Undermount sink with 2 bowls
- Installation in natural stone or artificial stone counter-tops
- Minimum width of undersink cabinet: 80 cm
- 2 basins, closable
- Registered design
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for double turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3388 01 XX	Undercounter sink inclusive Waste system, Round hand-operated	1.333,-	1.493,-
3388 02 XX	Undercounter sink inclusive Waste system, Round pop-up	1.443,-	1.603,-

Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K44 00 00	Universal cutting board made of European oak	196,-
8K45 00 00	Universal cutting board made of Thermal ash	196,-
9849 00 K1	Salad basket	194,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
9K15 00 00	Silicon draining mat	120,-
8223 00 61	Waste system, hand-operated	157,-
8226 10 00	Waste system, pop-up without cover cap	267,-



Required size of worktop


3388




Required size of worktop
see attached template

Engineering data

3388





Please refer to the assembly instructions

CISTERNA 60C

€ excl. VAT



- Installation in natural stone or artificial stone counter-tops
- Minimum width of undersink cabinet: 60 cm
- Registered design
- Possible combinations undercounter see pages XX
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ceramic Plus

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
6706 01 XX	Undercounter sink inclusive Waste system, Round hand-operated and Fastening set	1.192,-	1.332,-
6706 02 XX	Undercounter sink inclusive Waste system, Round pop-up and Fastening set	1.323,-	1.462,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8397 00 K1	Salad basket	194,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-



Required size of worktop


6706



Required size of worktop
see attached template

Engineering data

6706



Please refer to the assembly instructions

CISTERNA 50

€ excl. VAT



- Installation in natural stone or artificial stone counter-tops
- Minimum width of undersink cabinet: 50 cm
- Registered design
- Possible combinations undercounter see pages XX
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
6703 01 XX	Undercounter sink inclusive Waste system, Round hand-operated and Fastening set	1.106,-	1.233,-
6703 02 XX	Undercounter sink inclusive Waste system, Round pop-up and Fastening set	1.237,-	1.363,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
9849 00 K1	Salad basket	194,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-



Required size of worktop


6703



Required size of worktop
see attached template

Engineering data

6703



Please refer to the assembly instructions

CISTERNA 45

€ excl. VAT



- Installation in natural stone or artificial stone counter-tops
- Minimum width of undersink cabinet: 45 cm
- Registered design
- Possible combinations undercounter see pages XX
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ceramic Plus

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
6704 01 XX	Undercounter sink inclusive Waste system, Round hand-operated and Fastening set	1.063,-	1.183,-
6704 02 XX	Undercounter sink inclusive Waste system, Round pop-up and Fastening set	1.193,-	1.313,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
9850 00 K1	Salad basket	194,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-



Required size of worktop


6704



Required size of worktop
see attached template

Engineering data

6704



Please refer to the assembly instructions

SUBWAY 60 SU

€ excl. VAT



- Installation in natural stone or artificial stone counter-tops
- Minimum width of undersink cabinet: 60 cm
- Possible combinations undercounter see pages XX
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3310 01 XX	Undercounter sink inclusive Waste system, Round hand-operated	1.226,-	1.379,-
3310 02 XX	Undercounter sink inclusive Waste system, Round pop-up	1.356,-	1.509,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus


Premiumline CeramicPlus

- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- R8 Morning Green CeramicPlus
- TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8397 00 K1	Salad basket	194,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-





Required size of worktop



Required size of worktop
see attached template

Engineering data





Please refer to the assembly instructions

SUBWAY 60 XU

€ excl. VAT



- Installation in natural stone or artificial stone countertops
- Minimum width of undersink cabinet: 60 cm
- 2 basins, closable
- Steamer containers 1/3 and 2/3 compatible with salad basket
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for double turn lever on page 101

Ceramic Plus

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
6758 01 XX	Undercounter sink inclusive Waste system, Round hand-operated	1.283,-	1.433,-
6758 02 XX	Undercounter sink inclusive Waste system, Round pop-up	1.389,-	1.540,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
9841 00 K1	Salad basket	194,-
9624 15 LC	Cap waste cover	51,-
8299 06 K1	Steamer tray 1/3	67,-
8299 05 K1	Steamer tray 2/3	91,-
9K13 00 71	Folding draining rack	180,-
8282 00 61	Waste system, hand-operated	157,-
8283 10 00	Waste system, pop-up without cover cap	264,-



Required size of worktop


6758




Required size of worktop
see attached template

Engineering data

6758





Please refer to the assembly instructions

SUBWAY 50 SU

€ excl. VAT



- Installation in natural stone or artificial stone counter-tops
- Minimum width of undersink cabinet: 50 cm
- Possible combinations undercounter see pages XX
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3325 01 XX	Undercounter sink inclusive Waste system, Round hand-operated	1.014,-	1.134,-
3325 02 XX	Undercounter sink inclusive Waste system, Round pop-up	1.144,-	1.265,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus


Premiumline CeramicPlus

- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- R8 Morning Green CeramicPlus
- TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
9849 00 K1	Salad basket	194,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-





Required size of worktop



Required size of worktop
see attached template

Engineering data





Please refer to the assembly instructions

SUBWAY 45 SU

€ excl. VAT



- Installation in natural stone or artificial stone countertops
- Minimum width of undersink cabinet: 45 cm
- Possible combinations undercounter see pages XX
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ceramic Plus

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3324 01 XX	Undercounter sink inclusive Waste system, Round hand-operated	996,-	1.116,-
3324 02 XX	Undercounter sink inclusive Waste system, Round pop-up	1.127,-	1.246,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus


Premiumline CeramicPlus

- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- TR Timber CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
9850 00 K1	Salad basket	194,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-





Required size of worktop



Required size of worktop
see attached template

Engineering data





Please refer to the assembly instructions

GOOD TO KNOW - PLANNING TIPS

As a particularly straight-lined sink variant, flush-fitting models integrate seamlessly into the worktop and blend perfectly into any kitchen furnishing concept. The fact that flush-fitted sinks are integrated directly into the worktop without any supports around the rim additionally represents a major advantage in terms of hygiene. Liquids can be wiped from the work area into the sink without leaving any deposits along the rim, for example.



- Our sinks are ideally prepared for installation:
- plane-ground supporting rim of ideal thickness
- straight-milled sink rim with a dimensional tolerance of +/- 1mm for an ideal fit
- top edge with slight bevel to avoid injuries when fitting
- milled corner radii for a constant expansion joint throughout the cut-out

Further tips

together with installation instructions and cut-out dimensions for installing flush-fitted sinks are to be found on page 107

Scan QR code

to go straight to the video on installing flush-fitted sinks.



FLUSH-FIT SINKS: OVERVIEW

Flush-mounted sinks
60 cm Size of undercabinet



Linara 60 Flat

980x490 mm
3386 (54)



Siluet 60 flat

980x490 mm
3336 (55)



Siluet 60 R flat

980x490 mm
3337 (56)



Siluet 60 S flat

580x490 mm
3346 (57)



Subway Style 60 Flat

980x490 mm
3361 (58)



Subway Style 60 S Flat

580x490 mm
3366 (59)



Subway 60 flat

965x475 mm
6770 (60)



Subway 60 S flat

565x475 mm
3309 (61)



Subway 60 XM flat

585x475 mm
6780 (62)



Timeline 60 flat

965x475 mm
6790 (63)

Flush-mounted sinks
50 cm Size of undercabinet



Siluet 50 flat

880x490 mm
3335 (65)



Siluet 50 S flat

490x490 mm
3345 (66)



Subway Style 50 Flat

880x490 mm
3351 (67)



Subway 50 S flat

490x475 mm
3315 (69)



Timeline 50 flat

865x475 mm
3307 (70)



Linara 50 Flat

840x490 mm
3385 (64)

Flush-mounted sinks
45 cm Size of undercabinet



Siluet 45 flat

780x490 mm
3334 (72)



Subway 45 XS flat

440x475 mm
6781 (74)



Subway Style 45 Flat

900x510 mm
3347 (73)



Linara 45 Flat

780x490 mm
3384 (71)

LINARA 60 FLAT

€ excl. VAT



- **The sink is reversible**
- For flush-fit installation in natural stone, ceramic, glass and quartz stone worktops
- Minimum width of undersink cabinet: 60 cm
- Minimum thickness of the countertop: at least 3 cm
- Registered design
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3386 1F XX	Sink inclusive Waste system, Round hand-operated	1.251,-	1.408,-
3386 2F XX	Sink inclusive Waste system, Round pop-up	1.382,-	1.539,-

Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- FU Ivory CeramicPlus
- KR Crema CeramicPlus
- KD Fossil CeramicPlus
- i4 Graphite CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- R7 Pure Black
- J0 Chromit CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K44 00 00	Universal cutting board made of European oak	196,-
8K45 00 00	Universal cutting board made of Thermal ash	196,-
9K04 00 K1	Inset strainer	89,-
9220 58 00	Installation kit	29,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
8K37 00 K1	Strainer bowl	166,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-



View of holes for tap fittings


3386




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

3386





Please refer to the assembly instructions and cut-out dimensions of the countertop on page XX!

SILUET 60 FLAT

€ excl. VAT



- **The sink is reversible**
- For flush-fit installation in natural stone, ceramic, glass and quartz stone worktops
- Minimum width of undersink cabinet: 60 cm
- Minimum thickness of the countertop when placed with a dishwasher: at least 3 cm
- Steamer containers 1/3 and 2/3 compatible with salad basket
- **Material: TitanCeram**
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3336 1F XX	Sink inclusive Waste system, Round hand-operated	1.620,-	1.832,-
3336 2F XX	Sink inclusive Waste system, Round pop-up	1.750,-	1.963,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- FU Ivory CeramicPlus
- KR Crema CeramicPlus
- KD Fossil CeramicPlus
- i4 Graphite CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- R7 Pure Black
- J0 Chromit CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K36 10 00	Universal cutting board, walnut	239,-
9K10 00 K1	Salad basket	298,-
9220 58 00	Installation kit	29,-
9624 15 LC	Cap waste cover	51,-
8299 06 K1	Steamer tray 1/3	67,-
8299 05 K1	Steamer tray 2/3	91,-
9K13 00 71	Folding draining rack	180,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-



View of holes for tap fittings


3336




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

3336





Please refer to the assembly instructions and cut-out dimensions of the countertop on page XX!

SILUET 60 R FLAT

€ excl. VAT



- **The sink is reversible**
- For flush-fit installation in natural stone, ceramic, glass and quartz stone worktops
- Minimum width of undersink cabinet: 60 cm
- Minimum thickness of the countertop when placed with a dishwasher: at least 3 cm
- Compatible with steamer container 1/3
- **Material: TitanCeram**
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3337 1F XX	Sink inclusive Waste system, Round hand-operated	1.715,-	1.936,-
3337 2F XX	Sink inclusive Waste system, Round pop-up	1.818,-	2.040,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- FU Ivory CeramicPlus
- KR Crema CeramicPlus
- KD Fossil CeramicPlus
- i4 Graphite CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- R7 Pure Black
- J0 Chromit CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K36 10 00	Universal cutting board, walnut	239,-
9K11 00 K1	Salad basket	281,-
9220 58 00	Installation kit	29,-
9624 15 LC	Cap waste cover	51,-
8299 06 K1	Steamer tray 1/3	67,-
9K13 00 71	Folding draining rack	180,-
8K92 00 61	Waste system, hand-operated	118,-
8K96 10 00	Waste system, pop-up without cover cap	222,-



View of holes for tap fittings


3337




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

3337





Please refer to the assembly instructions and cut-out dimensions of the countertop on page XX!

SILUET 60 S FLAT

€ excl. VAT



- For flush-fit installation in natural stone, ceramic, glass and quartz stone worktops
- Minimum width of undersink cabinet: 60 cm
- **Material: TitanCeram**
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3346 1F XX	Sink inclusive Waste system hand-operated	1.378,-	1.545,-
3346 2F XX	Sink inclusive Waste system, Round pop-up	1.448,-	1.615,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- FU Ivory CeramicPlus
- KR Crema CeramicPlus
- KD Fossil CeramicPlus
- i4 Graphite CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- R7 Pure Black
- J0 Chromit CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K36 10 00	Universal cutting board, walnut	239,-
9K04 00 K1	Inset strainer	89,-
9220 58 00	Installation kit	29,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
8K94 00 61	Waste system, hand-operated	148,-
8K82 10 00	Waste system, pop-up without cover cap	218,-



View of holes for tap fittings


3346




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

3346





Please refer to the assembly instructions and cut-out dimensions of the countertop on page XX!

SUBWAY STYLE 60 FLAT

€ excl. VAT



- Available with bowl on the right or left-hand side
- For flush-fit installation in natural stone, ceramic, glass and quartz stone worktops
- Minimum width of undersink cabinet: 60 cm
- Minimum thickness of the countertop: at least 3 cm
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3361 1F XX	Sink basin right inclusive Waste system, Round hand-operated	1.394,-	1.572,-
3362 1F XX	Sink basin left inclusive Waste system, Round hand-operated	1.394,-	1.572,-
3361 2F XX	Sink basin right inclusive Waste system, Round pop-up	1.524,-	1.701,-
3362 2F XX	Sink basin left inclusive Waste system, Round pop-up	1.524,-	1.701,-

Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- FU Ivory CeramicPlus
- KR Crema CeramicPlus
- KD Fossil CeramicPlus
- i4 Graphite CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- R7 Pure Black
- J0 Chromit CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
9K13 00 71	Folding draining rack	180,-
9K13 00 05	Folding draining rack	180,-
8K36 10 00	Universal cutting board, walnut	239,-
9220 58 00	Installation kit	29,-
9624 15 LC	Cap waste cover	51,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-




View of holes for tap fittings

3361




3362



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data



Please refer to the assembly instructions
Please refer to the assembly instructions and cut-out dimensions of the countertop on page XX!

SUBWAY STYLE 60 S FLAT

€ excl. VAT



- All-round ledge supports practical accessories
- For flush-fit installation in natural stone, ceramic, glass and quartz stone worktops
- Minimum width of undersink cabinet: 60 cm
- Registered design
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3366 1F XX	Sink inclusive Waste system, Round hand-operated and Draining rack, Angular	1.230,-	1.368,-
336A 1F XX	Sink inclusive Waste system, Round hand-operated and Draining rack, Angular	1.230,-	1.368,-
3366 2F XX	Sink inclusive Waste system, Round pop-up and Draining rack, Angular	1.354,-	1.493,-
336A 2F XX	Sink inclusive Waste system, Round pop-up and Draining rack, Angular	1.354,-	1.493,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- FU Ivory CeramicPlus
- KR Crema CeramicPlus
- KD Fossil CeramicPlus
- i4 Graphite CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- R7 Pure Black
- J0 Chromit CeramicPlus

Ref.	Optional accessories / spare parts	Price
8K42 10 00	European oak cutting board	115,-
8K43 00 00	Universal cutting board made of European oak	191,-
9220 58 00	Installation kit	29,-
9624 15 LC	Cap waste cover	51,-
9K14 00 71	Draining rack	120,-
8K38 00 K1	Strainer bowl	180,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-



View of holes for tap fittings


3366



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

3366



Please refer to the assembly instructions
Please refer to the assembly instructions and cut-out dimensions of the countertop on page XX!
Recess in worktop: 49,6 x 58,6 cm

SUBWAY 60 FLAT

€ excl. VAT



- Available with bowl on the right or left-hand side
- For flush-fit installation in natural stone, ceramic, glass and quartz stone worktops
- Minimum width of undersink cabinet: 60 cm
- Minimum thickness of the countertop when placed with a dishwasher: at least 4 cm
- Registered design
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
6712 1F XX	Sink basin right inclusive Waste system, Round hand-operated	1.511,-	1.702,-
6770 1F XX	Sink basin left inclusive Waste system, Round hand-operated	1.511,-	1.702,-
6712 2F XX	Sink basin right inclusive Waste system, Round pop-up	1.615,-	1.807,-
6770 2F XX	Sink basin left inclusive Waste system, Round pop-up	1.615,-	1.807,-

Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- FU Ivory CeramicPlus
- KR Crema CeramicPlus
- KD Fossil CeramicPlus
- i4 Graphite CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- R7 Pure Black
- J0 Chromit CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K33 10 00	Walnut cutting board with compact core	208,-
8K36 10 00	Universal cutting board, walnut	239,-
8K04 00 K1	Salad basket	194,-
9K04 00 K1	Inset strainer	89,-
9220 58 00	Installation kit	29,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
8K37 00 K1	Strainer bowl	166,-
8214 00 61	Waste system, hand-operated	118,-
8215 10 00	Waste system, pop-up without cover cap	222,-




View of holes for tap fittings

6712




6770




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

6712



6770



Please refer to the assembly instructions and cut-out dimensions of the countertop on page XX!

SUBWAY 60 S FLAT

€ excl. VAT



- For flush-fit installation in natural stone, ceramic, glass and quartz stone worktops
- Minimum width of undersink cabinet: 60 cm
- Registered design
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3309 1F XX	Sink inclusive Waste system, Round hand-operated	1.288,-	1.452,-
3309 2F XX	Sink inclusive Waste system, Round pop-up	1.419,-	1.581,-

Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- FU Ivory CeramicPlus
- KR Crema CeramicPlus
- KD Fossil CeramicPlus
- i4 Graphite CeramicPlus


Premiumline CeramicPlus

- KG Snow White CeramicPlus
- R7 Pure Black
- J0 Chromit CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K33 10 00	Walnut cutting board with compact core	208,-
8K36 10 00	Universal cutting board, walnut	239,-
8K31 00 K1	Salad basket	194,-
9K04 00 K1	Inset strainer	89,-
9220 58 00	Installation kit	29,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
9K14 00 71	Draining rack	120,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-





View of holes for tap fittings



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data





Please refer to the assembly instructions and cut-out dimensions of the countertop on page XX!

SUBWAY 60 XM FLAT

€ excl. VAT



- For flush-fit installation in natural stone, ceramic, glass and quartz stone worktops
- Minimum width of undersink cabinet: 60 cm
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
6780 1F XX	Sink inclusive Waste system, Round hand-operated	1.330,-	1.495,-
6780 2F XX	Sink inclusive Waste system, Round pop-up	1.433,-	1.599,-

Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- FU Ivory CeramicPlus
- KR Crema CeramicPlus
- KD Fossil CeramicPlus
- i4 Graphite CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- R7 Pure Black
- J0 Chromit CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K33 10 00	Walnut cutting board with compact core	208,-
8K36 10 00	Universal cutting board, walnut	239,-
8K04 00 K1	Salad basket	194,-
9K04 00 K1	Inset strainer	89,-
9220 58 00	Installation kit	29,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
8K37 00 K1	Strainer bowl	166,-
8214 00 61	Waste system, hand-operated	118,-
8215 10 00	Waste system, pop-up without cover cap	222,-



View of holes for tap fittings


6780



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

6780



Please refer to the assembly instructions and cut-out dimensions of the countertop on page XX!

TIMELINE 60 FLAT

€ excl. VAT



- **The sink is reversible**
- For flush-fit installation in natural stone, ceramic, glass and quartz stone worktops
- Minimum width of undersink cabinet: 60 cm
- Minimum thickness of the countertop when placed with a dishwasher: at least 4 cm
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
6790 1F XX	Sink inclusive Waste system, Round hand-operated	1.574,-	1.778,-
6790 2F XX	Sink inclusive Waste system, Round pop-up	1.703,-	1.908,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- FU Ivory CeramicPlus
- KR Crema CeramicPlus
- KD Fossil CeramicPlus
- i4 Graphite CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- R7 Pure Black
- J0 Chromit CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K36 10 00	Universal cutting board, walnut	239,-
8K12 00 K1	Salad basket	194,-
9220 58 00	Installation kit	29,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-



View of holes for tap fittings


6790




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

6790





Please refer to the assembly instructions and cut-out dimensions of the countertop on page XX!

LINARA 50 FLAT

€ excl. VAT



- **The sink is reversible**
- For flush-fit installation in natural stone, ceramic, glass and quartz stone worktops
- Minimum width of undersink cabinet: 50 cm
- Minimum thickness of the countertop: at least 3 cm
- Registered design
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3385 1F XX	Sink inclusive Waste system, Round hand-operated	1.143,-	1.284,-
3385 2F XX	Sink inclusive Waste system, Round pop-up	1.271,-	1.413,-

Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- FU Ivory CeramicPlus
- KR Crema CeramicPlus
- KD Fossil CeramicPlus
- i4 Graphite CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- R7 Pure Black
- J0 Chromit CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K44 00 00	Universal cutting board made of European oak	196,-
8K45 00 00	Universal cutting board made of Thermal ash	196,-
9K04 00 K1	Inset strainer	89,-
9220 58 00	Installation kit	29,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
8K37 00 K1	Strainer bowl	166,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-



View of holes for tap fittings


3385




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

3385





Please refer to the assembly instructions and cut-out dimensions of the countertop on page XX!

SILUET 50 FLAT

€ excl. VAT



- **The sink is reversible**
- For flush-fit installation in natural stone, ceramic, glass and quartz stone worktops
- Minimum width of undersink cabinet: 50 cm
- Minimum thickness of the countertop when placed with a dishwasher: at least 3 cm
- Steamer container 1/3 compatible with salad basket
- **Material: TitanCeram**
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3335 1F XX	Sink inclusive Waste system, Round hand-operated	1.449,-	1.634,-
3335 2F XX	Sink inclusive Waste system, Round pop-up	1.579,-	1.765,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- FU Ivory CeramicPlus
- KR Crema CeramicPlus
- KD Fossil CeramicPlus
- i4 Graphite CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- R7 Pure Black
- J0 Chromit CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K36 10 00	Universal cutting board, walnut	239,-
9K11 00 K1	Salad basket	281,-
9220 58 00	Installation kit	29,-
9624 15 LC	Cap waste cover	51,-
8299 06 K1	Steamer tray 1/3	67,-
9K13 00 71	Folding draining rack	180,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-



View of holes for tap fittings


3335




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

3335





Please refer to the assembly instructions and cut-out dimensions of the countertop on page XX!

SILUET 50 S FLAT

€ excl. VAT



- For flush-fit installation in natural stone, ceramic, glass and quartz stone worktops
- Flexible installation of the sink: the strainer bowl can be positioned at the back or to either the right- or left-hand side
- Minimum width of undersink cabinet: 50 cm
- **Material: TitanCeram**
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3345 1F XX	Sink inclusive Waste system hand-operated	1.232,-	1.377,-
3345 2F XX	Sink inclusive Waste system, Round pop-up	1.302,-	1.447,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- FU Ivory CeramicPlus
- KR Crema CeramicPlus
- KD Fossil CeramicPlus
- i4 Graphite CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- R7 Pure Black
- J0 Chromit CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K36 10 00	Universal cutting board, walnut	239,-
9K04 00 K1	Inset strainer	89,-
8345 47 K1	Inset strainer	175,-
9220 58 00	Installation kit	29,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
8K94 00 61	Waste system, hand-operated	148,-
8K82 10 00	Waste system, pop-up without cover cap	218,-



View of holes for tap fittings


3345




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

3345





Please refer to the assembly instructions
Please refer to the assembly instructions and cut-out dimensions of the countertop on page XX!

SUBWAY STYLE 50 FLAT

€ excl. VAT



- Available with bowl on the right or left-hand side
- For flush-fit installation in natural stone, ceramic, glass and quartz stone worktops
- Minimum width of undersink cabinet: 50 cm
- Minimum thickness of the countertop: at least 3 cm
- Registered design
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3351 1F XX	Sink basin right inclusive Waste system, Round hand-operated	1.284,-	1.446,-
3352 1F XX	Sink basin left inclusive Waste system, Round hand-operated	1.284,-	1.446,-
3351 2F XX	Sink basin right inclusive Waste system, Round pop-up	1.415,-	1.576,-
3352 2F XX	Sink basin left inclusive Waste system, Round pop-up	1.415,-	1.576,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- FU Ivory CeramicPlus
- KR Crema CeramicPlus
- KD Fossil CeramicPlus
- i4 Graphite CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- R7 Pure Black
- J0 Chromit CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
9K13 00 71	Folding draining rack	180,-
9K13 00 05	Folding draining rack	180,-
8K36 10 00	Universal cutting board, walnut	239,-
9K11 00 K1	Salad basket	281,-
9220 58 00	Installation kit	29,-
9624 15 LC	Cap waste cover	51,-
8299 06 K1	Steamer tray 1/3	67,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-




View of holes for tap fittings

3351




3352




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.


Engineering data


3351



3352







Please refer to the assembly instructions and cut-out dimensions of the countertop on page XX!
Recess in worktop: 87 x 48 cm

SUBWAY STYLE 50 S FLAT

€ excl. VAT



- All-round ledge supports practical accessories
- For flush-fit installation in natural stone, ceramic, glass and quartz stone worktops
- Minimum width of undersink cabinet: 50 cm
- Registered design
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3355 1F XX	Sink inclusive Waste system, Round hand-operated and Draining rack, Angular	1.034,-	1.144,-
335A 1F XX	Sink inclusive Waste system, Round hand-operated and Draining rack, Angular	1.034,-	1.144,-
3355 2F XX	Sink inclusive Waste system, Round pop-up and Draining rack, Angular	1.165,-	1.274,-
335A 2F XX	Sink inclusive Waste system, Round pop-up and Draining rack, Angular	1.165,-	1.274,-

Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- FU Ivory CeramicPlus
- KR Crema CeramicPlus
- KD Fossil CeramicPlus
- i4 Graphite CeramicPlus

Premiumline CeramicPlus

- KG Snow White CeramicPlus
- R7 Pure Black
- J0 Chromit CeramicPlus


Ref.	Optional accessories / spare parts	Price
8K42 10 00	European oak cutting board	115,-
9220 58 00	Installation kit	29,-
9624 15 LC	Cap waste cover	51,-
9K14 00 71	Draining rack	120,-
8K38 00 K1	Strainer bowl	180,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-





View of holes for tap fittings


3355




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

3355





Please refer to the assembly instructions
Please refer to the assembly instructions and cut-out dimensions of the countertop on page XX!
Recess in worktop: 49,6 x 48,6 cm

SUBWAY 50 S FLAT

€ excl. VAT



- For flush-fit installation in natural stone, ceramic, glass and quartz stone worktops
- Minimum width of undersink cabinet: 50 cm
- Steamer containers 1/3 and 2/3 compatible with salad basket
- Registered design
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3315 1F XX	Sink inclusive Waste system, Round hand-operated	1.153,-	1.294,-
3315 2F XX	Sink inclusive Waste system, Round pop-up	1.283,-	1.424,-

Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- FU Ivory CeramicPlus
- KR Crema CeramicPlus
- KD Fossil CeramicPlus
- i4 Graphite CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- R7 Pure Black
- J0 Chromit CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K33 10 00	Walnut cutting board with compact core	208,-
8K36 10 00	Universal cutting board, walnut	239,-
9841 00 K1	Salad basket	194,-
9K04 00 K1	Inset strainer	89,-
9220 58 00	Installation kit	29,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
8K37 00 K1	Strainer bowl	166,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-



View of holes for tap fittings


3315




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

3315





Please refer to the assembly instructions and cut-out dimensions of the countertop on page XX!

TIMELINE 50 FLAT

€ excl. VAT



- **The sink is reversible**
- For flush-fit installation in natural stone, ceramic, glass and quartz stone worktops
- Minimum width of undersink cabinet: 50 cm
- Minimum thickness of the countertop when placed with a dishwasher: at least 4 cm
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3307 1F XX	Sink inclusive Waste system, Round hand-operated	1.405,-	1.585,-
3307 2F XX	Sink inclusive Waste system, Round pop-up	1.536,-	1.716,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- FU Ivory CeramicPlus
- KR Crema CeramicPlus
- KD Fossil CeramicPlus
- i4 Graphite CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- R7 Pure Black
- J0 Chromit CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K36 10 00	Universal cutting board, walnut	239,-
9K09 00 K1	Salad basket	194,-
9220 58 00	Installation kit	29,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-



View of holes for tap fittings


3307




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

3307





Please refer to the assembly instructions and cut-out dimensions of the countertop on page XX!

LINARA 45 FLAT

€ excl. VAT



- **The sink is reversible**
- For flush-fit installation in natural stone, ceramic, glass and quartz stone worktops
- Minimum width of undersink cabinet: 45 cm
- Minimum thickness of the countertop when placed with a dishwasher: at least 3 cm
- **Material: TitanCeram**
- Compatible with all soap dispensers on pages 99

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3384 1F XX	Sink inclusive Waste system, Round hand-operated	1.256,-	1.415,-
3384 2F XX	Sink inclusive Waste system, Round pop-up	1.387,-	1.544,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- FU Ivory CeramicPlus
- KR Crema CeramicPlus
- KD Fossil CeramicPlus
- i4 Graphite CeramicPlus


Premiumline CeramicPlus

- KG Snow White CeramicPlus
- R7 Pure Black
- J0 Chromit CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
9K12 00 K1	Salad basket	267,-
9220 58 00	Installation kit	29,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-





View of holes for tap fittings



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data





Please refer to the assembly instructions and cut-out dimensions of the countertop on page XX!

SILUET 45 FLAT

€ excl. VAT



- **The sink is reversible**
- For flush-fit installation in natural stone, ceramic, glass and quartz stone worktops
- Minimum width of undersink cabinet: 45 cm
- Minimum thickness of the countertop when placed with a dishwasher: at least 3 cm
- Steamer container 1/3 compatible with salad basket
- **Material: TitanCeram**
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3334 1F XX	Sink inclusive Waste system, Round hand-operated	1.264,-	1.422,-
3334 2F XX	Sink inclusive Waste system, Round pop-up	1.393,-	1.551,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- FU Ivory CeramicPlus
- KR Crema CeramicPlus
- KD Fossil CeramicPlus
- i4 Graphite CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- R7 Pure Black
- J0 Chromit CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K36 10 00	Universal cutting board, walnut	239,-
9K12 00 K1	Salad basket	267,-
9220 58 00	Installation kit	29,-
9624 15 LC	Cap waste cover	51,-
8299 06 K1	Steamer tray 1/3	67,-
9K13 00 71	Folding draining rack	180,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-



View of holes for tap fittings


3334




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

3334





Please refer to the assembly instructions and cut-out dimensions of the countertop on page XX!

SUBWAY STYLE 45 FLAT

€ excl. VAT



- Available with bowl on the right or left-hand side
- For flush-fit installation in natural stone, ceramic, glass and quartz stone worktops
- Minimum width of undersink cabinet: 45 cm
- Minimum thickness of the countertop: at least 3 cm
- Registered design
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3347 1F XX	Sink basin right inclusive Waste system, Round hand-operated	958,-	1.074,-
3348 1F XX	Sink basin left inclusive Waste system, Round hand-operated	958,-	1.074,-
3347 2F XX	Sink basin right inclusive Waste system, Round pop-up	1.089,-	1.205,-
3348 2F XX	Sink basin left inclusive Waste system, Round pop-up	1.089,-	1.205,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- FU Ivory CeramicPlus
- KR Crema CeramicPlus
- KD Fossil CeramicPlus
- i4 Graphite CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- R7 Pure Black
- J0 Chromit CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
9K13 00 71	Folding draining rack	180,-
9K13 00 05	Folding draining rack	180,-
8K36 10 00	Universal cutting board, walnut	239,-
9K11 00 K1	Salad basket	281,-
9220 58 00	Installation kit	29,-
9624 15 LC	Cap waste cover	51,-
8299 06 K1	Steamer tray 1/3	67,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-




View of holes for tap fittings

3347




3348




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

3347



3348



Please refer to the assembly instructions and cut-out dimensions of the countertop on page XX!
Please refer to the assembly instructions
Recess in worktop: 74 x 47 cm

SUBWAY 45 XS FLAT

€ excl. VAT



- For flush-fit installation in natural stone, ceramic, glass and quartz stone worktops
- Minimum width of undersink cabinet: 45 cm
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ceramic Plus

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
6781 1F XX	Sink inclusive Waste system, Round hand-operated	1.120,-	1.256,-
6781 2F XX	Sink inclusive Waste system, Round pop-up	1.250,-	1.387,-

Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- FU Ivory CeramicPlus
- KR Crema CeramicPlus
- KD Fossil CeramicPlus
- i4 Graphite CeramicPlus

Premiumline CeramicPlus


- KG Snow White CeramicPlus
- R7 Pure Black
- J0 Chromit CeramicPlus

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8K33 10 00	Walnut cutting board with compact core	208,-
8K36 10 00	Universal cutting board, walnut	239,-
8K06 00 K1	Salad basket	194,-
9K04 00 K1	Inset strainer	89,-
9220 58 00	Installation kit	29,-
9624 15 LC	Cap waste cover	51,-
9K13 00 71	Folding draining rack	180,-
8K37 00 K1	Strainer bowl	166,-
8276 00 61	Waste system, hand-operated	91,-
8286 10 00	Waste system, pop-up without cover cap	222,-



View of holes for tap fittings


6781




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

6781





Please refer to the assembly instructions and cut-out dimensions of the countertop on page XX!

MODULES / CORNER SINKS: OVERVIEW

Modules



Double-bowl sink

895x630 mm
6323 (76)



Single-bowl sink

595x630 mm
6320 (77)



Farmhouse 90 X

900x550 mm
6390 (78)



Farmhouse 80 X

795x500 mm
6380 (79)



Farmhouse 60 X

595x500 mm
6360 (80)

Corner sinks



Solo corner

1075x600 mm
6708 (81)

DOUBLE-BOWL SINK

€ excl. VAT



- Assembly on a vanity unit or wall-mounted
- Minimum width of undersink cabinet: 90 cm
- 2 basins, closable
- Note on planning: The backrest is not glazed and the projection is 63 cm. The height projection varies depending on the furniture manufacturer.
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for double turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline	Trendline
6323 91 XX	Double-bowl sink inclusive Strainer bowl, Angular, Waste system, Round hand-operated and Fixing set for mounting on a base cabinet for installation with cabinet	2.201,-	2.476,-	2.658,-
6323 92 XX	Double-bowl sink inclusive Strainer bowl, Angular, Waste system, Round pop-up and Fixing set for mounting on a base cabinet for installation with cabinet	2.304,-	2.578,-	2.761,-

Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus


Premiumline CeramicPlus

- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- R8 Morning Green CeramicPlus
- TR Timber CeramicPlus

Trendline CeramicPlus


- KT White Pearl CeramicPlus
- M1 Mosaic
- M7 Mosaïque Black

Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
8341 00 K1	Salad basket	194,-
9208 47 00	Fastening set	184,-
9208 49 00	Fastening set	68,-
9624 15 LC	Cap waste cover	51,-
8323 00 K2	Strainer bowl	73,-
8262 00 61	Waste system, hand-operated	118,-
8232 10 00	Waste system, pop-up without cover cap	222,-



View of holes for tap fittings


6323




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

6323





* unglazed edge
Please refer to the assembly instructions

SINGLE-BOWL SINK

€ excl. VAT



- Assembly on a vanity unit or wall-mounted
- Minimum width of undersink cabinet: 60 cm
- Note on planning: The backrest is not glazed and the projection is 63 cm. The height projection varies depending on the furniture manufacturer.
- Compatible with the soap dispenser 9236 20 on page 99
- Further selection of cover caps for turn lever on page 101

Ceramic Plus

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline	Trendline
6320 61 XX	Single-bowl sink inclusive Waste system, Round hand-operated and Fixing set for mounting on a base cabinet for installation with cabinet	1.269,-	1.419,-	1.517,-
6320 62 XX	Single-bowl sink inclusive Waste system, Round pop-up and Fixing set for mounting on a base cabinet for installation with cabinet	1.398,-	1.548,-	1.648,-

Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus

Premiumline CeramicPlus

- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- R8 Morning Green CeramicPlus
- TR Timber CeramicPlus

Trendline CeramicPlus

- KT White Pearl CeramicPlus
- M1 Mosaic
- M7 Mosaïque Black


Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
9208 47 00	Fastening set	184,-
9208 49 00	Fastening set	68,-
9624 15 LC	Cap waste cover	51,-
8270 00 61	Waste system, hand-operated	91,-
8233 10 00	Waste system, pop-up without cover cap	222,-





View of holes for tap fittings


6320




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.

Engineering data

6320





* unglazed edge
Please refer to the assembly instructions

FARMHOUSE 90 X

€ excl. VAT



- Assembly on a vanity unit
- Installation in natural or artificial stone countertops recommended
- Minimum width of undersink cabinet: 90 cm
- 2 basins, closable
- **Note for planning:** The rear is unglazed and the projection is 55 cm. The height projection varies depending on the furniture manufacturer.
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for double turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
6390 01 XX	Double-bowl sink inclusive Waste system, Round hand-operated	1.716,-	1.932,-
6390 02 XX	Double-bowl sink inclusive Waste system, Round pop-up	1.824,-	2.041,-


Classicline CeramicPlus

- RW Stone White CeramicPlus
- R1 White Alpin CeramicPlus
- KR Crema CeramicPlus


Premiumline CeramicPlus

- R7 Pure Black


Ref.	Optional accessories / spare parts	Price
9624 15 LC	Cap waste cover	51,-
8223 00 61	Waste system, hand-operated	157,-
8226 10 00	Waste system, pop-up without cover cap	267,-



View of holes for tap fittings



Engineering data



* unglazed edge
Please refer to the assembly instructions

FARMHOUSE 80 X

€ excl. VAT



- Assembly on a vanity unit
- Installation in natural or artificial stone countertops recommended
- Minimum width of undersink cabinet: 80 cm
- 2 basins, closable
- **Note for planning:** The rear is unglazed and the projection is 50 cm. The height projection varies depending on the furniture manufacturer.
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for double turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
6380 01 XX	Double-bowl sink inclusive Waste system, Round hand-operated	1.431,-	1.607,-
6380 02 XX	Double-bowl sink inclusive Waste system, Round pop-up	1.541,-	1.716,-

Classicline CeramicPlus

- RW Stone White CeramicPlus
- R1 White Alpin CeramicPlus
- KR Crema CeramicPlus

Premiumline CeramicPlus


- R7 Pure Black

Ref.	Optional accessories / spare parts	Price
9624 15 LC	Cap waste cover	51,-
8223 00 61	Waste system, hand-operated	157,-
8226 10 00	Waste system, pop-up without cover cap	267,-




View of holes for tap fittings

6380



Engineering data

6380



* unglazed edge
Please refer to the assembly instructions

FARMHOUSE 60 X

€ excl. VAT



- Assembly on a vanity unit
- Installation in natural or artificial stone countertops recommended
- Minimum width of undersink cabinet: 60 cm
- **Note for planning:** The rear is unglazed and the projection is 50 cm. The height projection varies depending on the furniture manufacturer.
- Compatible with all soap dispensers on pages 99
- Further selection of cover caps for turn lever on page 101

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
6360 01 XX	Single-bowl sink inclusive Waste system, Round hand-operated	1.072,-	1.203,-
6360 02 XX	Single-bowl sink inclusive Waste system, Round pop-up	1.203,-	1.333,-

Classicline CeramicPlus

- RW Stone White CeramicPlus
- KR Crema CeramicPlus
- R1 White Alpin CeramicPlus

Premiumline CeramicPlus

- R7 Pure Black


Ref.	Optional accessories / spare parts	Price
9K08 00 K1	Rolling mat	157,-
9624 15 LC	Cap waste cover	51,-
8270 00 61	Waste system, hand-operated	91,-
8286 50 00	Waste system, pop-up without cover cap	222,-





View of holes for tap fittings

Engineering data



* unglazed edge
Please refer to the assembly instructions

SOLO CORNER

€ excl. VAT



- Corner sink
- For surface-mounted installation
- Installation on a corner undersink cabinet with 90 cm side length
- 2 basins, closable
- Registered design
- Further selection of cover caps for double turn lever on page 101

Ceramic Plus

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
6708 01 XX	Corner sink inclusive Waste system, Round hand-operated and Strainer bowl, Round	1.506,-	1.687,-
6708 02 XX	Corner sink inclusive Waste system, Round pop-up and Strainer bowl, Round	1.604,-	1.783,-


Classicline CeramicPlus

- R1 White Alpin CeramicPlus
- RW Stone White CeramicPlus
- SM Steam CeramicPlus
- FU Ivory CeramicPlus
- AM Almond CeramicPlus
- i4 Graphite CeramicPlus
- KD Fossil CeramicPlus
- KR Crema CeramicPlus

Premiumline CeramicPlus

- KG Snow White CeramicPlus
- J0 Chromit CeramicPlus
- R7 Pure Black
- TR Timber CeramicPlus


Ref.	Optional accessories / spare parts	Price
8K09 00 K1	Salad basket	194,-
9624 15 LC	Cap waste cover	51,-
9888 50 K2	Strainer bowl	75,-
8K80 00 61	Waste system, hand-operated	114,-
8K81 10 00	Waste system, pop-up without cover cap	211,-





View of holes for tap fittings


6708




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 6).
Diameter: ca. 35 mm
Additional charge: 9,00 €/model.
The tap holes marked with an # are punched through as standard at the factory.

Engineering data

6708





Required size of worktop: see attached template (Ref. 9307 B3 A5)
Please refer to the assembly instructions

KITCHEN TAPS ADVANTAGES


INTELLIGENT DETAILS FOR SOPHISTICATED KITCHENS

Ranging from traditional to modern, Villeroy & Boch premium kitchen taps are available in a wide variety of styles. Perfectly matched to the design of your kitchen sink, they offer maximum functionality and perfect comfort for every room. Discover the many advantages of our taps series and benefit from our unique quality.



COLOURFUL DESIGNS

Our taps are perfectly matched to the kitchen sinks. 5 lightfast colours are available for selected collections and add the finishing touch to a harmonious colour scheme.



HIGH-QUALITY MATERIAL

Thanks to premium stainless steel, the taps are more robust, rust-proof, easy to clean, lead-free and durable. The components inside are sourced from European market leaders.



MAXIMUM COMFORT

Additional functions, such as a retractable hand shower, different types of water jet and low-pressure solutions, offer maximum comfort in everyday use.



OPTIMUM INSTALLATION

Solutions for installation directly in front of the window and external connectors ensure quick and easy installation in every situation.

KITCHEN TAPS ADVANTAGES

	Technology								Jet types			Colours					
																	
	1	2	3	4	5	6	7	8	Comfort Jet	Laminar Jet	Spray Jet	Solid stainless steel	Gold	Bronze	Anthra-cite	Matt Black	Gold-Black
AVIA 2.0 9240 00 / 9240 11	■				■	■			■			■	■	■	■		
COMO 9251 00 / 9251 11	■								■			■			■		
COMO SHOWER 9252 00 / 9252 11	■	■							■			■			■		
COMO SKY 9278 00				■	■				■			■					
COMO SKY SHOWER 9279 00		■		■	■				■			■					
COMO WINDOW 9257 00							■		■			■			■		
COMO SHOWER WINDOW 9258 00		■					■		■			■			■		
FINERA 9270 00				■	■				■			■	■	■	■		
FINERA SQUARE 9271 00				■	■				■			■					
JUNIS SHOWER 9281 00		■	■							■	■	■				■	
JUNIS SKY SHOWER 9282 00		■	■		■					■	■	■				■	
KONIC 9286 00		■			■	■		■	■			■				■	
MODERN STEEL 9668 00 / 9668 11	■				■	■			■			■			■		
STEEL EXPERT 2.0 9280 00		■	■	■						■	■	■			■	■	
STEEL EXPERT COMPACT 9273 00		■	■		■					■	■	■			■	■	■
STEEL EXPERT COMPACT WINDOW 9299 00		■	■		■		■			■	■	■				■	
STEEL SHOWER 9697 00 / 9697 11	■	■			■	■			■			■			■	■	
STEEL SHOWER WINDOW 9699 01		■			■		■		■			■				■	
SUBWAY STYLE SHOWER 9285 00		■	■		■	■				■	■	■			■	■	
UMBRELLA 9253 00					■	■			■			■	■	■	■		
UMBRELLA FLEX 9254 00		■			■	■			■			■	■	■	■	■	

1) **Low-pressure version:** The low-pressure version, with an additional connection hose and in conjunction with an external instantaneous water heater, also enables households without their own hot water pipe to optimise use in the kitchen.
2) **Pull-out, hand-held spray:** high flexibility when cleaning pots and pans. Extensive freedom of movement for the hand-held spray ensures that all types and sizes of pot and other receptac les can be filled with ease
3) **Spray mode button:** For fast and simple switching between the different spray modes.
4) **Adjustable aerator:** The flexible aerator enables individual adjustment of the spray direction to enlarge the sphere of action.
5) **Comfort Plus:** A tap fitting of a practical height, offering plenty of freedom of movement – the perfect thing for easier cleaning of baking trays and for filling large vessels, for example.
6) **Pre-wall installation:** With pre-wall installation, the cold and hot water is regulated at 90° in the direction of the kitchen sink, allowing installation directly in front of the wall.
7) **Pre-window installation:** The tap can be flexibly pulled out and placed on the worktop, enabling a pre-window installation.
8) **Eco function:** Here it is possible to choose between a low and a higher flow rate, making it easy to save water.
9) **Comfort jet:** The aerated comfort jet saves water, is pleasant on the skin and offers convenience when rinsing off food and kitchen utensils.
10) **Laminar jet:** The crystal clear jet is perfect for practically splash-free washing of fruit and vegetables.
11) **Spray jet:** Powerful, efficient water jet - ideal for cleaning pots and pans.

AVIA 2.0

€ excl. VAT


Avia 2.0



Article number	Description	Price
9240 00 LC	stainless steel	652,-
9240 00 03	Gold	850,-
9240 00 04	bronze	850,-
9240 00 05	anthracite	850,-

You can find matching soap dispensers, cap valve covers, cover caps for the overflow and cover caps for turn handles on page 101
The accessory laminar jet regulator 92517400 can be used compatibly for these fittings (see page 105).

- Material: solid stainless steel
- Connection thread G3/8
- Cartridge material: plastic, ceramic gaskets
- Swivel range: 360°
- Opening angle of lever: 25°
- Tap can be installed directly in front of a wall as the water temperature is regulated within a 90° range towards the sink
- Flow volume comfort jet: 11.2 l/min
- Flexible connection hoses, length 600 mm




Avia 2.0 Low pressure



Article number	Description	Price
9240 11 LC	stainless steel	711,-

You can find matching soap dispensers, cap valve covers, cover caps for the overflow and cover caps for turn handles on page 101

- Material: solid stainless steel
- Connection thread G3/8
- Cartridge material: plastic, ceramic gaskets
- Swivel range: 360°
- Opening angle of lever: 25°
- Tap can be installed directly in front of a wall as the water temperature is regulated within a 90° range towards the sink
- Comfort mode flow rate: 11.4 l/min
- Flexible connection hoses, length 600 mm



COMO

€ excl. VAT


Como




Article number	Description	Price
9251 00 LC	stainless steel	429,-
9251 00 05	anthracite	548,-

You can find matching soap dispensers, cap valve covers, cover caps for the overflow and cover caps for turn handles on page 101
The accessory laminar jet regulator 92517400 can be used compatibly for these fittings (see page 105).

- Material: solid stainless steel
- Cartridge material: plastic, ceramic gaskets
- Connection thread G3/8
- Swivel range: 360°
- Opening angle of lever: 25°
- Flow volume comfort jet: 15.3 l/min
- Flexible connection hoses, length 600 mm






Como Low pressure




Article number	Description	Price
9251 11 LC	stainless steel	536,-
9251 11 05	anthracite	675,-

You can find matching soap dispensers, cap valve covers, cover caps for the overflow and cover caps for turn handles on page 101

- Material: solid stainless steel
- Connection thread G3/8
- Cartridge material: plastic, ceramic gaskets
- Swivel range: 360°
- Opening angle of lever: 25°
- Flow volume comfort jet: 12.5 l/min
- Flexible connection hoses, length 600 mm





COMO SHOWER

€ excl. VAT


Como Shower



Article number	Description	Price
9252 00 LC	stainless steel	571,-
9252 00 05	anthracite	726,-

You can find matching soap dispensers, cap valve covers, cover caps for the overflow and cover caps for turn handles on page 101
The accessory laminar jet regulator 92517400 can be used compatibly for these fittings (see page 105).

- Material: solid stainless steel
- Cartridge material: plastic, ceramic gaskets
- Connection thread G3/8
- Swivel range: 120°
- Opening angle of lever: 25°
- Shower hose: integrated, retractable, length 1800 mm
- Flow volume comfort jet: 12.6 l/min
- Flexible connection hoses, length 600 mm
- Spray head return via return spring




Como Shower Low pressure



Article number	Description	Price
9252 11 LC	stainless steel	714,-
9252 11 05	anthracite	891,-

You can find matching soap dispensers, cap valve covers, cover caps for the overflow and cover caps for turn handles on page 101

- Material: solid stainless steel
- Connection thread G3/8
- Cartridge material: plastic, ceramic gaskets
- Swivel range: 120°
- Opening angle of lever: 25°
- Shower hose: integrated, retractable, length 1800 mm
- Flow volume comfort jet: 8.0 l/min
- Flexible connection hoses, length 600 mm
- Spray head return via return spring



COMO SKY

€ excl. VAT


Como Sky



Article number	Description	Price
9278 00 LC	stainless steel	594,-

You can find matching soap dispensers, cap valve covers, cover caps for the overflow and cover caps for turn handles on page 101
The accessory laminar jet regulator 92517400 can be used compatibly for these fittings (see page 105).

- Material: solid stainless steel
- Cartridge material: plastic, ceramic gaskets
- Connection thread G3/8
- Swivel range: 360°
- Opening angle of lever: 25°
- Flow volume comfort jet: 9.4 l/min
- Flexible connection hoses, length 600 mm
- Adjustable aerator




Como Sky Shower



Article number	Description	Price
9279 00 LC	stainless steel	734,-

You can find matching soap dispensers, cap valve covers, cover caps for the overflow and cover caps for turn handles on page 101
The accessory laminar jet regulator 92517400 can be used compatibly for these fittings (see page 105).

- Material: solid stainless steel
- Cartridge material: plastic, ceramic gaskets
- Connection thread G3/8
- Swivel range: 120°
- Opening angle of lever: 25°
- Shower hose: integrated, retractable, length 1800 mm
- Flow volume comfort jet: 7.8 l/min
- Flexible connection hoses, length 600 mm
- Adjustable aerator
- Spray head return via return spring



COMO WINDOW

€ excl. VAT


Como Window




Article number	Description	Price
9257 00 LC	stainless steel	536,-
9257 00 05	anthracite	675,-

You can find matching soap dispensers, cap valve covers, cover caps for the overflow and cover caps for turn handles on page 101
The accessory laminar jet regulator 92517400 can be used compatibly for these fittings (see page 105).

- Material: solid stainless steel
- Connection thread G3/8
- Cartridge material: plastic, ceramic gaskets
- Swivel range: 360°
- Opening angle of lever: 25°
- Flow volume comfort jet: 14.8 l/min
- Flexible connection hoses, length 800 mm
- Height of base with extended tap fitting: 35 mm
- Space is required in or next to the sink to allow use of window feature
- The fitting can be flexibly pulled out and set on the worktop, therefore allowing a window installation
- After removal, the fitting must be placed on a soft cloth






Como Shower Window




Article number	Description	Price
9258 00 LC	stainless steel	714,-
9258 00 05	anthracite	891,-

You can find matching soap dispensers, cap valve covers, cover caps for the overflow and cover caps for turn handles on page 101
The accessory laminar jet regulator 92517400 can be used compatibly for these fittings (see page 105).

- Material: solid stainless steel
- Connection thread G3/8
- Cartridge material: plastic, ceramic gaskets
- Swivel range: 120°
- Opening angle of lever: 25°
- Shower hose: integrated, retractable, length 1500 mm
- Flow volume comfort jet: 8.6 l/min
- Flexible connection hoses, length 800 mm
- Height of base with extended tap fitting: 35 mm
- Retraction of spray head by means of hose weight
- The fitting can be flexibly pulled out and set on the worktop, therefore allowing a window installation
- Space is required in or next to the sink to allow use of window feature
- After removal, the fitting must be placed on a soft cloth





FINERA

€ excl. VAT


Finera



Article number	Description	Price
9270 00 LC	stainless steel	640,-
9270 00 03	Gold	752,-
9270 00 04	bronze	752,-
9270 00 05	anthracite	752,-

You can find matching soap dispensers, cap valve covers, cover caps for the overflow and cover caps for turn handles on page 101

- Material: solid stainless steel
- Cartridge material: plastic, ceramic gaskets
- Connection thread G3/8
- Swivel range: 360°
- Opening angle of lever: 25°
- Please note: tap must not be installed directly in front of a wall as the water temperature is regulated 45° to the rear and 45° towards the front of the sink
- Flow volume: 10.5 l/min
- Flexible connection hoses, length 600 mm
- Adjustable aerator
- Aerator key included




Finera Square



Article number	Description	Price
9271 00 LC	stainless steel	640,-

You can find matching soap dispensers, cap valve covers, cover caps for the overflow and cover caps for turn handles on page 101

- Material: solid stainless steel
- Cartridge material: plastic, ceramic gaskets
- Connection thread G3/8
- Swivel range: 360°
- Opening angle of lever: 25°
- Please note: tap must not be installed directly in front of a wall as the water temperature is regulated 45° to the rear and 45° towards the front of the sink
- Flow volume comfort jet: 10.5 l/min
- Flexible connection hoses, length 600 mm
- Adjustable aerator
- Aerator key included



JUNIS SHOWER

€ excl. VAT

Junis Shower






Article number	Description	Price
9281 00 LC	stainless steel	669,-
9281 00 06	Matt Black	823,-

You can find matching soap dispensers, cap valve covers, cover caps for the overflow and cover caps for turn handles on page 101

- Material: solid stainless steel
- Cartridge material: plastic, ceramic gaskets
- Connection thread G3/8
- Swivel range: 120°
- Opening angle of lever: 25°
- Flow volume laminar jet: 7.9 l/min
- Flow volume spray jet: 6.6 l/min
- Flexible connection hoses, length 600 mm
- Hand-held spray hose with flexible joint
- Pull-out, hand-held spray
- Spray head return via return spring
- Hand-held spray with two spray modes
- Aerator key included



Junis Sky Shower






Article number	Description	Price
9282 00 LC	stainless steel	751,-
9282 00 06	Matt Black	924,-

You can find matching soap dispensers, cap valve covers, cover caps for the overflow and cover caps for turn handles on page 101

- Material: solid stainless steel
- Cartridge material: plastic, ceramic gaskets
- Connection thread G3/8
- Swivel range: 120°
- Opening angle of lever: 25°
- Flow volume laminar jet: 7.9 l/min
- Flow volume spray jet: 6.6 l/min
- Flexible connection hoses, length 600 mm
- Hand-held spray hose with flexible joint
- Pull-out, hand-held spray
- Spray head return via return spring
- Hand-held spray with two spray modes
- Aerator key included



KONIC

€ excl. VAT

Konic






Article number	Description	Price
9286 00 LC	stainless steel	720,-
9286 00 06	Matt Black	829,-

You can find matching soap dispensers, cap valve covers, cover caps for the overflow and cover caps for turn handles on page 101

- Material: solid stainless steel
- Cartridge material: plastic, ceramic gaskets
- Connection thread G3/8
- Swivel range: 360°
- Opening angle of lever: 25°
- Tap can be installed directly in front of a wall as the water temperature is regulated within a 90° range towards the sink
- Shower hose: integrated, retractable, length 1800 mm
- Comfort jet Eco mode flow rate: 5.02 l/min
- Flow rate comfort spray standard mode: 10.58 l/min
- Flexible connection hoses, length 600 mm
- Spray head return via return spring



MODERN STEEL

€ excl. VAT

Modern Steel






Article number	Description	Price
9668 01 LC	stainless steel	745,-
9668 01 05	anthracite	859,-

You can find matching soap dispensers, cap valve covers, cover caps for the overflow and cover caps for turn handles on page 101
The accessory laminar jet regulator 92517400 can be used compatibly for these fittings (see page 105).

- Material: solid stainless steel
- Connection thread G3/8
- Cartridge material: plastic, ceramic gaskets
- Swivel range: 360°
- Opening angle of lever: 25°
- Tap can be installed directly in front of a wall as the water temperature is regulated within a 90° range towards the sink
- Flow volume comfort jet: 11.5 l/min
- Flexible connection hoses, length 600 mm




Modern Steel Low pressure



Article number	Description	Price
9668 11 LC	stainless steel	889,-

You can find matching soap dispensers, cap valve covers, cover caps for the overflow and cover caps for turn handles on page 101

- Material: solid stainless steel
- Connection thread G3/8
- Cartridge material: plastic, ceramic gaskets
- Swivel range: 360°
- Opening angle of lever: 25°
- Tap can be installed directly in front of a wall as the water temperature is regulated within a 90° range towards the sink
- Flow volume comfort jet: 11.9 l/min
- Flexible connection hoses, length 600 mm



STEEL EXPERT 2.0

€ excl. VAT


Steel Expert 2.0



Article number	Description	Price
9280 00 LC	stainless steel	885,-
9280 00 05	anthracite	1.126,-
9280 00 06	Matt Black	1.077,-

You can find matching soap dispensers, cap valve covers, cover caps for the overflow and cover caps for turn handles on page 101

- Material: solid stainless steel
- Cartridge material: plastic, ceramic gaskets
- Connection thread G3/8
- Swivel range: 360°
- Opening angle of lever: 25°
- Please note: tap must not be installed directly in front of a wall as the water temperature is regulated 45° to the rear and 45° towards the front of the sink
- Flow volume laminar jet: 5.4 l/min
- Flow volume spray jet: 4.8 l/min
- Flexible connection hoses, length 600 mm
- Flexible hand spray
- Hand-held spray with two spray modes
- Aerator key included




Steel Expert Compact



Article number	Description	Price
9273 00 LC	stainless steel	841,-
9273 00 05	anthracite	1.093,-
9273 00 06	Matt Black	1.033,-
9273 00 23	Gold-Black	1.118,-

You can find matching soap dispensers, cap valve covers, cover caps for the overflow and cover caps for turn handles on page 101

- Material: solid stainless steel
- Cartridge material: plastic, ceramic gaskets
- Connection thread G3/8
- Swivel range: 360°
- Opening angle of lever: 25°
- Please note: tap must not be installed directly in front of a wall as the water temperature is regulated 45° to the rear and 45° towards the front of the sink
- Flow volume laminar jet: 5.4 l/min
- Flow volume spray jet: 4.8 l/min
- Flexible connection hoses, length 600 mm
- Flexible hand spray
- Hand-held spray with two spray modes
- Aerator key included



STEEL EXPERT COMPACT WINDOW

€ excl. VAT

Steel Expert Compact Window






Article number	Description	Price
9299 00 LC	stainless steel	973,-
9299 00 06	Matt Black	1.196,-

You can find matching soap dispensers, cap valve covers, cover caps for the overflow and cover caps for turn handles on page 101

- Material: solid stainless steel
- Cartridge material: plastic, ceramic gaskets
- Connection thread G3/8
- Swivel range: 360°
- Opening angle of lever: 25°
- Please note: tap must not be installed directly in front of a wall as the water temperature is regulated 45° to the rear and 45° towards the front of the sink
- Flow volume laminar jet: 7.28 l/min
- Flow volume laminar jet: 7.03 l/min
- Flexible connection hoses, length 800 mm
- Flexible hand spray
- Hand-held spray with two spray modes
- Plinth height with extended mixer tap: 54 mm
- Space is required in or next to the sink to allow use of window feature
- The fitting can be flexibly pulled out and set on the worktop, therefore allowing a window installation
- After removal, the fitting must be placed on a soft cloth
- Aerator key included



STEEL SHOWER

€ excl. VAT


Steel Shower



Article number	Description	Price
9697 01 LC	stainless steel	802,-
9697 01 05	anthracite	929,-
9697 01 06	Matt Black	879,-

You can find matching soap dispensers, cap valve covers, cover caps for the overflow and cover caps for turn handles on page 101

- Material: solid stainless steel
- Cartridge material: plastic, ceramic gaskets
- Connection thread G3/8
- Swivel range: 360°
- Opening angle of lever: 25°
- Tap can be installed directly in front of a wall as the water temperature is regulated within a 90° range towards the sink
- Shower hose: integrated, retractable, length 1800 mm
- Flow volume comfort jet: 11.7 l/min
- Flexible connection hoses, length 600 mm
- Spray head return via return spring




Steel Shower Low pressure



Article number	Description	Price
9697 11 LC	stainless steel	966,-

You can find matching soap dispensers, cap valve covers, cover caps for the overflow and cover caps for turn handles on page 101

- Material: solid stainless steel
- Connection thread G3/8
- Cartridge material: plastic, ceramic gaskets
- Swivel range: 360°
- Opening angle of lever: 25°
- Tap can be installed directly in front of a wall as the water temperature is regulated within a 90° range towards the sink
- Shower hose: integrated, retractable, length 1800 mm
- Flow volume comfort jet: 7.9 l/min
- Flexible connection hoses, length 600 mm
- Spray head return via return spring



STEEL SHOWER WINDOW

€ excl. VAT


Steel Shower Window



Article number	Description	Price
9699 01 LC	stainless steel	915,-
9699 01 06	Matt Black	1.062,-

You can find matching soap dispensers, cap valve covers, cover caps for the overflow and cover caps for turn handles on page 101

- Material: solid stainless steel
- Cartridge material: plastic, ceramic gaskets
- Connection thread G3/8
- Swivel range: 360°
- Opening angle of lever: 25°
- Tap can be installed directly in front of a wall as the water temperature is regulated within a 90° range towards the sink
- Shower hose: integrated, retractable, length 1800 mm
- Flow volume laminar jet: 8.05 l/min
- Flexible connection hoses, length 800 mm
- Retraction of spray head by means of hose weight
- Plinth height with extended mixer tap: 54 mm
- Space is required in or next to the sink to allow use of window feature
- The fitting can be flexibly pulled out and set on the worktop, therefore allowing a window installation
- After removal, the fitting must be placed on a soft cloth



SUBWAY STYLE SHOWER

€ excl. VAT


Subway Style Shower



Article number	Description	Price
9285 00 LC	stainless steel	829,-
9285 00 05	anthracite	1.080,-
9285 00 06	Matt Black	1.020,-

You can find matching soap dispensers, cap valve covers, cover caps for the overflow and cover caps for turn handles on page 101

- Material: solid stainless steel
- Connection thread G3/8
- Cartridge material: plastic, ceramic gaskets
- Swivel range: 360°
- Opening angle of lever: 25°
- Flow volume laminar jet: 6.94 l/min
- Flow volume spray jet: 6.46 l/min
- Flexible connection hoses, length 600 mm
- Hand-held spray hose with flexible joint
- Pull-out, hand-held spray
- Spray head return via return spring
- Hand-held spray with two spray modes



UMBRELLA

€ excl. VAT


Umbrella



Article number	Description	Price
9253 00 LC	stainless steel	611,-
9253 00 03	Gold	725,-
9253 00 04	bronze	725,-
9253 00 05	anthracite	725,-

You can find matching soap dispensers, cap valve covers, cover caps for the overflow and cover caps for turn handles on page 101

- Material: solid stainless steel
- Connection thread G3/8
- Cartridge material: plastic, ceramic gaskets
- Swivel range: 360°
- Opening angle of lever: 25°
- Tap can be installed directly in front of a wall as the water temperature is regulated within a 90° range towards the sink
- Flow volume comfort jet: 16.0 l/min
- Flexible connection hoses, length 600 mm




Umbrella Flex



Article number	Description	Price
9254 00 LC	stainless steel	740,-
9254 00 03	Gold	881,-
9254 00 04	bronze	881,-
9254 00 05	anthracite	881,-
9254 00 06	Matt Black	886,-

You can find matching soap dispensers, cap valve covers, cover caps for the overflow and cover caps for turn handles on page 101

- Material: solid stainless steel
- Connection thread G3/8
- Cartridge material: plastic, ceramic gaskets
- Swivel range: 360°
- Opening angle of lever: 25°
- Tap can be installed directly in front of a wall as the water temperature is regulated within a 90° range towards the sink
- Shower hose: integrated, retractable, length 1800 mm
- Flow volume comfort jet: 11.5 l/min
- Flexible connection hoses, length 600 mm
- Spray head return via return spring



SOAP DISPENSER

€ excl. VAT


Soap dispenser



Article number	Description	Price
9236 20 LC	stainless steel	223,-
9236 20 03	Gold	262,-
9236 20 04	bronze	262,-
9236 20 05	anthracite	262,-
9236 20 06	Matt Black	247,-

You can find matching soap dispensers, cap valve covers, cover caps for the overflow and cover caps for turn handles on page 101

- Material: stainless steel (head), plastic (holder)
- Filling quantity: 250 ml
- Container, soap dispenser: Diameter 55 mm




Soap dispenser



Article number	Description	Price
9236 30 LC	stainless steel	239,-

You can find matching soap dispensers, cap valve covers, cover caps for the overflow and cover caps for turn handles on page 101

- Material: stainless steel (head), plastic (holder)
- Filling quantity: 250 ml
- Container, soap dispenser: Diameter 55 mm



HIGH QUALITY ACCESSORIES FROM VILLEROY & BOCH


INTELLIGENT DETAILS FOR SOPHISTICATED KITCHENS

Ranging from traditional to modern, Villeroy & Boch premium kitchen taps are available in a wide variety of styles. Perfectly matched to the design of your kitchen sink, they offer maximum functionality and perfect comfort for every room. Discover the many advantages of our taps series and benefit from our unique quality.



COLOURFUL DESIGNS

Our taps are perfectly matched to the kitchen sinks. 5 lightfast colours are available for selected collections and add the finishing touch to a harmonious colour scheme.



HIGH-QUALITY MATERIAL

Thanks to premium stainless steel, the taps are more robust, rust-proof, easy to clean, lead-free and durable. The components inside are sourced from European market leaders.



MAXIMUM COMFORT

Additional functions, such as a retractable hand shower, different types of water jet and low-pressure solutions, offer maximum comfort in everyday use.




OPTIMUM INSTALLATION

Solutions for installation directly in front of the window and external connectors ensure quick and easy installation in every situation.

ACCESSORIES

€ excl. VAT

Cap waste cover



Article number	Description	Price
9624 15 LC	stainless steel, universell einsetzbar	51,-
9624 15 03	Gold, universell einsetzbar	65,-
9624 15 04	bronze, universell einsetzbar	65,-
9624 15 05	anthracite, universell einsetzbar	65,-

Rolling mat



Article number	Description	Price
9K08 00 K1	Stainless steel, universell einsetzbar	157,-

Universal cutting board, walnut



Article number	Description	Price
8K36 10 00	For sinks:3304, 3305, 3307, 3309, 3312, 3313, 3315, 3350, 3360, 3365, 6712, 6714, 6745, 6770, 6772, 6780,	239,-

Walnut cutting board with compact core



Article number	Description	Price
8K33 10 00	For sinks:3309, 3312, 3313, 3315, 6712, 6714, 6770, 6772, 6780, 6781	208,-

Steamer tray 1/3



Article number	Description	Price
8299 06 K1	Stainless steel, For sinks:3336, 3335, 3334, 3315, 6758, 3365, 3337	67,-

Steamer tray 2/3



Article number	Description	Price
8299 05 K1	Stainless steel, For sinks:3336, 3315, 6758	91,-

ACCESSORIES


€ excl. VAT

Strainer bowl




Article number	Description	Price
8K37 00 K1	Stainless steel, For sinks:3309, 3312, 3313, 3315, 6712, 6714, 6770, 6772, 6780, 6781	166,-

Inset strainer



Article number	Description	Price
9K04 00 K1	Stainless steel, For sinks:3309, 3312, 3313, 3315, 6712, 6714, 6770, 6772, 6780, 6781	89,-

Inset strainer




Article number	Description	Price
8345 47 K1	Stainless steel, For sinks:3350, 3360, 3365, 6726, 6745, 3380, 3325	175,-

Cover cap for overflow



Article number	Description	Price
8299 10 03	Gold	26,-
8299 10 04	bronze	26,-
8299 10 05	anthracite	26,-
8299 10 06	Matt Black	24,-

Folding draining rack




Article number	Description	Price
9K13 00 71	Brushed aluminium, Universally applicable	180,-
9K13 00 05	anthracite, Universally applicable	180,-

ACCESSORIES

€ excl. VAT

Draining rack



Article number	Description	Price
9K14 00 71	Brushed aluminum, dimensions (L x B x H) in mm: 364 x 168 x 12	120,-
9K14 00 05	anthracite, Dimensions (L x B x H) in mm: 364 x 168 x 12	120,-

European oak cutting board



Article number	Description	Price
8K42 10 00	Oak, Dimensions (L x B x H) in mm: 364 x 128 x 20	115,-

Strainer bowl



Article number	Description	Price
8K38 00 K1	Stainless steel, Dimensions (L x B x H) in mm: 364 x 128 x 100, For sinks:3366, 336A, 3355, 335A	180,-

Cover cap for turn lever



Article number	Description	Price
9405 26 L7	matt, Brass	54,-
9405 26 61	chrome, Brass	54,-
9405 26 03	Gold, Stainless steel	151,-
9405 26 04	bronze, Stainless steel	151,-
9405 26 05	anthracite, Stainless steel	151,-
9405 26 06	Matt Black, Stainless steel	139,-

Cover cap for turn lever



Article number	Description	Price
9405 36 L7	matt, Brass	54,-
9405 36 61	chrome, Brass	54,-

ACCESSORIES

€ excl. VAT

Cover cap for double turn lever




Article number	Description	Price
9405 25 L7	matt, Brass	54,-
9405 25 61	chrome, Brass	54,-
9405 25 03	Gold, Stainless steel	151,-
9405 25 04	bronze, Stainless steel	151,-
9405 25 05	anthracite, Stainless steel	151,-
9405 25 06	Matt Black, Stainless steel	139,-

Cover cap for double turn lever



Article number	Description	Price
9405 35 L7	matt, Brass	54,-
9405 35 61	chrome, Brass	54,-

Salad basket



Article number	Description	Price
8397 00 K1	Stainless steel, for Cisterna 60C 6706, Subway 60 SU 3310	194,-
8341 00 K1	Stainless steel, for Spülstein Doppelbecken 6323	194,-
9841 00 K1	Stainless steel, for Subway 50 S 3315, Subway 50 S flat 3315, Subway 60 XU 6758, Architectura 50 3350	194,-
8K09 00 K1	Stainless steel, for Solo Eck 6708	194,-
9849 00 K1	Stainless steel, for Cisterna 50 6703, Subway 50 SU 3325	194,-
9850 00 K1	Stainless steel, for Cisterna 45 6704, Condor 50 6732, Subway 45 SU 3324	194,-
9K09 00 K1	Stainless steel, for Timeline 50 3307, Timeline 50 flat 3307	194,-
8K12 00 K1	Stainless steel, for Timeline 60 6790, Timeline 60 flat 6790, Architectura 60 3360	194,-
8331 00 K1	Stainless steel, for Architectura 60XR 3365, Condor 45 6745	194,-
8K04 00 K1	Stainless steel, for Subway 60 6712/6772, Subway 60 flat 6712/6772, Subway 60 XM 6780, Subway 60 XM flat 6780	194,-
8K06 00 K1	Stainless steel, for Subway 45 6714/6772, Subway 45 flat 6714/6772, Subway 45 XS 6781, Subway 45 XS flat 6781, Subway 45 Compact 3313/3312, Subway Style 45 3313/3312	194,-
8K31 00 K1	Stainless steel, for Subway 60 S 3309, Subway 60 S flat 3309	194,-
9K10 00 K1	Stainless steel, for Siluet 60 3336, Siluet 60 flat 3336	298,-
9K11 00 K1	Stainless steel, for Siluet 50 3335, Siluet 50 flat 3335, Siluet 60 3337, Siluet 60 R flat 3337	281,-
9K12 00 K1	Stainless steel, for Siluet 45 3334, Siluet 45 flat 3334	267,-

Installation kit

Article number	Description	Price
9220 58 00	for flush-mounted sinks	29,-

Universal cutting board made of European oak



Article number	Description	Price
8K44 00 00	Universal wooden cutting board in oak, dimensions (L x W x H) in mm: 563 x 300 x 36	196,-

ACCESSORIES

€ excl. VAT

Universal cutting board made of Thermal ash




Article number	Description	Price
8K45 00 00	Universal wooden cutting board in thermo ash, dimensions (L x W x H) in mm: 563 x 300 x 36	196,-

Universal cutting board made of European oak



Article number	Description	Price
8K43 00 00	Wooden chopping board for use in the Subway Style 50 S and 60 S single bowl sinks and for fitting to our built-in sinks, dimensions (L x W x H) in mm: 358 x 365 x 36	191,-

Silicon draining mat



Article number	Description	Price
9K15 00 00	Silikon, Dimensions (L x B x H) in mm: 390 x 355 x 10/7 mm	120,-

Strainer bowl



Article number	Description	Price
9K16 00 00	Stainless steel, Dimensions: (L x B x H) in mm: 409 x 128 x 100 mm, For sinks:3347, 3348	181,-

Accessory set

Article number	Description	Price
9624 20 03	Gold	240,-
9624 20 04	bronze	240,-
9624 20 05	anthracite	240,-

Laminar flow regulator

Article number	Description	Price
9251 74 00	For Avia 2.0, Como, Como Shower, Como Sky, Como Sky Shower, Como Window, Como Shower Window, Como X, Modern Steel, Sorano, Sorano Shower, Sorano Sky, Sorano Sky Shower	12,-

CARE INSTRUCTIONS

€ excl. VAT

Care instructions

Easy-care beyond compare

You have chosen a quality product from Villeroy & Boch – the perfect solution for kitchens with character. Ceramic is a natural material that harmonises with all materials in the kitchen. The numerous advantages of ceramics that arise from the interplay between carefully selected raw materials and state-of-the-art production technology will already be familiar to you from other areas, such as tableware, tiles and bathroom ceramics. Villeroy & Boch has managed to further improve the outstanding properties of this material: CeramicPlus, the ceramic material with the unique easy-care surface that simply stays cleaner. It is so smooth that there are hardly any places where water and dirt can cling, so they drain away immediately. Even most stubborn stains, such as from tea, beetroot or red wine, and lime scale can be easily removed. It's a real help in the kitchen, because it means less work and less cleaning agents are required. And it's not a miracle but the result of our 270 years of experience with ceramics. Various tests simulating long-term use have demonstrated CeramicPlus's lasting resistance to soiling (when the care instructions are duly observed). The high quality and outstanding properties of CeramicPlus have also been confirmed in tests carried out by the independent IST Fraunhofer Institut in Braunschweig. In addition, the material properties are also systematically tested and monitored in the Villeroy & Boch laboratory. With the purchase of this product made from CeramicPlus – as with all products from Villeroy & Boch – you are getting an item of impeccable quality.

We hope that your easy-care ceramics will give you a lot of pleasure.

Cleaning and care of your kitchen ceramics

With its innovative new surface, CeramicPlus sets new standards in hygiene and ease of care. Now, scrubbing, scouring and scratching are a thing of the past. All it takes is a regular wipe with a soft, damp cloth and a mild cleaning agent. To ensure that the easy-care properties of your kitchen ceramics last as long as possible while allowing you to fully benefit from the many advantages offered by CeramicPlus, please observe the following care instructions.

Regular care of your kitchen ceramics

For regular care of your kitchen ceramics, we recommend always using a soft, non-abrasive sponge or cloth. It is best – particularly where limescale is an issue – to use a standard washing-up liquid or a vinegar-based cleaning agent (e.g. Frosch Vinegar cleaner from Erdal Rex).

Dealing with heavier soiling

Below you will find a few examples of cleaning agents that, when used in accordance with the manufacturers' recommendations, will help preserve the quality of your kitchen ceramics over the long term. Because kitchen ceramics are harder than metal, metallic items can occasionally leave marks on ceramic surfaces. Marks of this kind should only be removed using one of the mild cleaning agents listed in the table.

Applications (according to manufacturer's recommendations)	Examples
Regular cleaning and care	All-purpose cleaners, e.g.: Viss kitchen cleaner (Lever), Der General Professional (Henkel) Vinegar-based cleaners, e.g.: Frosch Vinegar cleaner (Erdal Rex), all commercial washing-up liquids
Anorganic dirt (e.g. limescale)	Lime dissolvers, e.g.: Sidol anti-limescale (Henkel), Viakal (Procter & Gamble) Vinegar-based cleaners, e.g.: Frosch Vinegar cleaner (Erdal Rex)
Grease	Grease remover, e.g.: Sidol kitchen cleaner (Henkel) Vinegar-based cleaners, e.g.: Frosch Vinegar cleaner (Erdal Rex)

Your attention is particularly drawn to the fact that aggressive cleaning agents (see below) can scratch ceramic surfaces and can harm or (if used regularly) even destroy the special properties of CeramicPlus.

- Scouring creams or powders
- Concentrated drain cleaners
- Tap and steel cleaners

For this reason we recommend avoiding the use of these cleaning agents completely. If on occasion it should be necessary to use drain cleaning chemicals or metal cleansers, direct contact with the kitchen ceramics should be avoided.

Thanks to the exceptional easy-care properties of CeramicPlus, you will achieve fresh cleanliness and optimum hygiene without the need for aggressive wcleaning agents.

* The care instructions can also be ordered for customers under article number 9211 J6 A1.

INSTRUCTIONS FOR SURFACE-MOUNTED INSTALLATION

€ excl. VAT

Sinks	Ref.	Countertop cutout
ARCHITECTURA 80	3380	113,0 x 48,0 cm
ARCHITECTURA 60	3360	97,0 x 48,0 cm
ARCHITECTURA 60 XR	3365	97,0 x 48,0 cm
ARCHITECTURA 50	3350	83,0 x 48,0 cm
ARCHITECTURA 45	3340	77,0 x 48,0 cm
ARENA Corner	6729	see attached template (Ref. 9307 22 A0)
CONDOR 45	6745	76,0 x 47,0 cm
FLAVIA 60	3304	98,0 x 48,0 cm
FLAVIA 50	3305	87,0 x 48,0 cm
SILUET 60	3336	97,0 x 48,0 cm
SILUET 60 R	3337	97,0 x 48,0 cm
SILUET 60 S	3346	57,0 x 48,0 cm
SILUET 50	3335	87,0 x 48,0 cm
SILUET 50 S	3345	48,0 x 48,0 cm
SILUET 45	3334	77,0 x 48,0 cm
SOLO Corner	6708	see attached template (Ref. 9307 B3 A5)
SUBWAY 60	6712/6770	97,0 x 48,0 cm
SUBWAY 60 XM	6780	59,0 x 48,0 cm
SUBWAY 60 S	3309	57,0 x 48,0 cm
SUBWAY STYLE 60	3361/3362	97,0 x 48,0 cm
SUBWAY STYLE 60 S	3366/336A	57,0 x 48,0 cm
SUBWAY 50 S	3315	49,5 x 48,0 cm
SUBWAY STYLE 50	3351/3352	87,0 x 48,0 cm
SUBWAY STYLE 50 S	3355/335A	46,0 x 47,0 cm
SUBWAY 45	6714/6772	74,0 x 48,0 cm
SUBWAY STYLE 45	3347/3348	74,0 x 47,0 cm
SUBWAY 45 Compact	3313/3312	62,0 x 48,0 cm
SUBWAY 45 XS	6781	44,5 x 48,0 cm
TIMELINE 60	6790	97,0 x 48,0 cm
TIMELINE 50	3307	87,0 x 48,0 cm

Knocking out the tap holes

PLEASE NOTE


Examine the sink for damage BEFORE INSTALLATION.

Only install a sink that is in perfect condition.

IMPORTANT! Always wear protective goggles and suitable protective clothing when knocking out the tap hole!

BEFORE INSTALLATION knock out the taps holes required as follows:

- Carefully transfer the centre of the tap hole required from the lower side of the sink onto the glazed upper side and mark.
  Only ever knock a tap hole through from the GLAZED UPPER SIDE OF THE SINK, NEVER FROM THE LOWER SIDE!
- Use suitable tools (e.g. hammer and centre punch) to knock the pre-punched tap hole out from above.
  Position the punch initially in the centre of the tap hole. Then widen to the diameter required.Please be very careful not to damage the glaze around the tap hole.




INSTRUCTIONS FOR SURFACE-MOUNTED INSTALLATION


€ excl. VAT

Installation of surface-mounted sinks with the option of dismantling without causing any damage

A Carefully pierce the required tap holes from the glazed side (!) using a hammer and, if necessary, a punch.




B Cut hole in worktop as required or using the template supplied. Clean the cut-out edge and remove any shavings.




C Insert and align sink.

Draw around the outer contour of the sink on the worktop.




D Remove sink.

Fix EPDM foam tape all around the outer contour of the sink, 5 mm from the cutting edge. Only fix the foam tape to the work surface, not to the sequenced rim of the sink!!




E Remove the outline of the sink drawn onto the worktop, clean the edge of the sink.




F Seal cleaned cut-out edge with silicon, fill

Apply a layer of silicon (approx. 10 mm thick) to the worktop area that is to support the sink and (!) to the EPDM foam tape*

*Please note the product information and the instructions for use on the packaging.




G Insert and align sink.



H Remove any excess silicon.

Connect supply and drain lines.




In order for Villeroy & Boch to be liable, the product must be installed in accordance with the installation instructions for allowing the option of dismantling without causing any damage (assembly set 9218 02 00).

INSTALLATION INSTRUCTIONS

€ excl. VAT

Installation Instructions
Monumentum 3303



Installation Instructions
Ceramic Sinks 6320 / 6323

Please note:
In order to ensure that any concealed damage caused in transit is identified in good time, the ceramic elements should be examined prior to installation.

When installing ON METAL CONSOLES, the contact surface on the wall must be level and able to withstand pressure. The load-bearing capacity of the bathroom fitting is dependent on the stability of the wall to which it is attached. Plasterboard and similar boarding are thus only permissible when used in conjunction with suitable bearing elements.

When installing ON A CABINET, a suitable cabinet construction is required.

The installation instructions have been carefully drawn up in accordance with the latest knowledge available.
Please read them carefully prior to commencing installation work. Misunderstandings or errors resulting from changes to models of which the installer may not be aware may lead to incorrect installation.

Particularly when larger building projects or series installation work are involved, we therefore recommend you obtain confirmation from our company that the stated installation dimensions are still valid, or carry out a comparison with an article from our current production output.


The advice on installation provided in our literature, written instructions for installation and verbal advice provided by our staff do not establish a legal relationship.


We reserve the right to carry out modifications to products in the interests of technical improvement.


INSTALLATION INSTRUCTIONS BUTLER AND FARMHOUSE SINKS


€ excl. VAT

Installation Instructions Butler and Farmhouse sinks
Ceramic sink 6320
(installing on metal consoles)













Installation Instructions Butler and Farmhouse sinks
Ceramic sink 6320
(installing on a cabinet)












INSTALLATION INSTRUCTIONS BUTLER AND FARMHOUSE SINKS


€ excl. VAT

Installation Instructions Butler and Farmhouse sinks
Ceramic sink 6323
(installing on metal consoles)













Installation Instructions Butler and Farmhouse sinks
Ceramic sink 6323
(installing on a cabinet)









INSTALLATION INSTRUCTIONS CISTERNA & SUBWAY

Cisterna and Subway Undercounter sinks (6703, 6704, 6706, 6758, 3310, 3324, 3325)


Instructions for installation in natural stone slabs (e.g. granite) with a minimum thickness of 25 mm.
We recommend the use of cementing materials specifically intended for natural stone. Please follow the manufacturer's instructions.


Installation accessories applied: 6 fastening brackets, 6 M5 x 35 screws, 6 M5 x 30 screws, 6 MS dowels

1. Determine where the sink is to be positioned on the slab and cut out the hole according to the original sink. Lay the slab face down on an absolutely plane and true, stable surface. Make sure that all surfaces top be cemented are free of grease and otherwise clean and dry. Apply silicone rubber to the ground rim of the sink. Lay the sink over the hole in the slab and align. Remove any excess sealant.

2. Mark drilling holes on the slab at approx. 10 mm from the outer edge of the sink. Ensure that the sink and brackets fit into the cabinet used. Using a 6 mm carbide drill, drill the holes (without using the percussion feature). Using a 6 mm carbide drill, drill the holes (without using the percussion feature) to 18 mm, not counting the tip, preferably using a depth gauge attachment).

3. Insert the MS special dowels enclosed flush into the holes. Attach the fastening brackets with the screws supplied to the sink and slab. Tighten the screws by hand with a screwdriver. (Do not use a torque lever).





For a precise fit, the cut-out must be produced in the worktop by reference to the original sink. The supplied installation templates provide guidance here.
The cut-out dimensions specified on the templates take due account of the ceramic tolerances and a safety clearance. In some cases, the countertop may consequently protrude by up to 11 mm beyond the rim of the sink. This dimension can be minimised by producing the cut-out according to the given sink contour. A minimum overhang of 2 mm is necessary, however, duly taking the ceramic tolerances into consideration.

When producing the cut-out by means of the template: Recommended distance between edge of cut-out and centre of tap hole: approx. 75 mm


We reserve the right to make technical alterations.

INSTALLATION INSTRUCTIONS FOR FLUSH-FIT SINKS


€ excl. VAT


Recommendations for installation

of flush-fit sinks in natural stone worktops, minimum thickness 4 cm. The installation kit can also be ordered for customers under article number 9220 58 00.



1	Natural stone worktop
2	Sink
3	Natural stone-silicone jointing compound (Note recommendations by supplier/manufacturer of natural stone)
4	Levelling compound (enclosed)
5	Use enclosed wood spacers and/or levelling compound under sink for levelling purposes





Coutout dimension:

Sinks	Ref.	▢	▢	▢	a (mm)	b (mm)	a1 (mm)	b1 (mm)	C (mm)
Siluet 60 Flat	3336 0F	reversible			496	986	470	960	30
Siluet 60 R Flat	3337 0F	reversible			496	986	470	960	30
Siluet 60 S Flat	3346 0F			X	496	586	470	560	30
Siluet 50 Flat	3335 0F	reversible			496	886	470	860	30
Siluet 50 S Flat	3345 0F			X	496	496	470	470	30
Siluet 45 Flat	3334 0F	reversible			496	786	470	760	30
Subway 60 Flat	6712 0F	X			481	971	455	945	40
Subway 60 Flat	6770 0F		X		481	971	455	945	40
Subway 45 Flat	6714 0F	X			481	751	455	725	40
Subway 45 Flat	6772 0F		X		481	751	455	725	40
Subway 60 S Flat	3309 0F			X	481	571	455	545	30
Subway Style 60 Flat	3361 0F	X			496	986	470	960	30
Subway Style 60 Flat	3362 0F		X		496	986	470	960	30
Subway Style 60 S Flat	3366 0F			X	490	580	464	554	25
Subway 60 XM Flat	6780 0F			X	481	591	455	565	30
Subway 45 XS Flat	6781 0F			X	481	446	455	420	30
Subway 50 S Flat	3315 0F			X	481	496	455	470	30
Subway Style 50 Flat	3351 0F	X			496	886	470	860	30
Subway Style 50 Flat	3352 0F		X		496	886	470	860	30
Subway Style 50 S Flat	3355 0F			X	496	486	470	460	25
Subway Style 45 Flat	3347 0F	X			496	766	470	740	25
Subway Style 45 Flat	3348 0F		X		496	766	470	740	25
Timeline 60 Flat	6790 0F	reversible			481	971	455	945	40
Timeline 50 Flat	3307 0F	reversible			481	871	455	845	40

INSTALLATION MEASUREMENTS

€ excl. VAT

WITH THE OPTION OF DISMANTLING WITHOUT CAUSING ANY DAMAGE

Sinks	Ref.	A	B	C	D	E	F	G	H	I	J
ARCHITECTURA 80	3380	50	50	400-460	600	460	370	--	--	80	80
ARCHITECTURA 60	3360	50	50	400-460	600	460	380	--	--	80	80
ARCHITECTURA 60 XR	3365*4	0	100	400-460	600	460	380	--	--	80	80
ARCHITECTURA 60 XR	3365*5	100	0	400-460	600	460	380	--	--	80	80
ARCHITECTURA 50	3350	50	50	400-460	600	460	380	--	--	80	80
ARCHITECTURA 45	3340	50	50	400-460	600	460	380	--	--	80	80
ARENA ECK	6729	ONLY INSTALLATION IN CORNER POSSIBLE						900	900	80	80
CISTERNA 60C	6706	*6	*6	390-420	600	460	330	--	--	80	80
CISTERNA 60B mit Restebecken	6702	*6	*6	390-420	600	460	330	--	--	80	80
CISTERNA 50	6703	*6	*6	390-420	600	460	30	--	--	80	80
CISTERNA 45	6704	*6	*6	390-420	600	460	330	--	--	80	80
CONDOR 50	6732*4	0	100	400-470	600	460	380	--	--	80	80
CONDOR 50	6732*5	100	0	400-470	600	460	380	--	--	80	80
CONDOR 45	6745*4	0	100	400-480	600	460	380	--	--	80	80
CONDOR 45	6745*5	100	0	400-480	600	460	380	--	--	80	80
FLAVIA 60	3304*4	0	100	400-460	60	460	380	--	--	80	80
FLAVIA 60	3304*5	100	0	400-460	60	460	380	--	--	80	80
FLAVIA 50	3305*4	0	100	400-460	60	460	380	--	--	80	80
FLAVIA 50	3305*5	100	0	400-460	60	460	380	--	--	80	80
SOLO ECK	6708	ONLY INSTALLATION IN CORNER POSSIBLE						900	900	80	80
SILUET 60	3336*4	0	100	400-460	600	460	380	--	--	80	80
SILUET 60	3336*5	100	0	400-460	600	460	380	--	--	80	80
SILUET 60 R	3337*4	0	100	400-460	600	460	360	--	--	80	80
SILUET 60 R	3337*5	100	0	400-460	600	460	360	--	--	80	80
SILUET 60 S	3346	0	100	400-600	600	460	370	--	--	80	--
SILUET 50	3335*4	0	100	400-460	600	460	380	--	--	80	80
SILUET 50	3335*5	100	0	400-460	600	460	380	--	--	80	80
SILUET 50 S	3345	0	100	400-600	600	460	370	--	--	80	--
SILUET 45	3334*4	0	100	400-460	600	460	380	--	--	80	80
SILUET 45	3334*5	100	0	400-460	600	460	380	--	--	80	80
SILUET 60 Flat	3336 0F*4	0	100	400-450	600	460	370	--	--	80	80
SILUET 60 Flat	3336 0F*5	100	0	400-450	600	460	370	--	--	80	80
SILUET 60 R Flat	3337 0F*4	0	100	400-450	600	460	370	--	--	80	80
SILUET 60 R Flat	3337 0F*5	100	0	400-450	600	460	370	--	--	80	80
SILUET 60 S Flat	3346 0F	0	100	400-600	600	460	370	--	--	80	--
SILUET 50 Flat	3335 0F*4	0	100	400-450	600	460	370	--	--	80	80
SILUET 50 Flat	3335 0F*5	100	0	400-450	600	460	370	--	--	80	80
SILUET 50 S Flat	3345 0F	0	100	400-600	600	460	370	--	--	80	--
SILUET 45 Flat	3334 0F*4	0	100	400-450	600	460	370	--	--	80	80
SILUET 45 Flat	3334 0F*5	100	0	400-450	600	460	370	--	--	80	80
SUBWAY 60	6712	50	50	400-460	600	460	370	--	--	--	80
SUBWAY 60	6770	50	50	400-460	600	460	370	--	--	80	--
SUBWAY 60 Flat	6712 0F	50	50	400-450	600	460	360	--	--	--	80
SUBWAY 60 Flat	6770 0F	50	50	400-450	600	460	360	--	--	80	--
SUBWAY 60 XM	6780*8	50	50	400-460	600	460	370	--	--	--	80
SUBWAY STYLE 50 S	3355	0	100	400-460	600	460	370	--	--	80	--
SUBWAY STYLE 50 S Flat	3355 0F	0	100	400-450	600	460	360	--	--	80	--

*1 The installation measurements for installation of the fitting in the middle. *2 The installation measurements for installation of the fitting in the hole near the basin.
*3 The installation measurements for installation of the fitting left. *4 The installation measurements for installation of the bowl right. *5 The installation measurements for installation of the bowl left.
*6 Dependent of the position of the taps. *7 Measured from the middle of the 90mm waste outlet. *8 When installing in the central tap hole.

INSTALLATION MEASUREMENTS


€ excl. VAT


WITH THE OPTION OF DISMANTLING WITHOUT CAUSING ANY DAMAGE


Sinks	Ref.	A	B	C	D	E	F	G	H	I	J
SUBWAY 60 XM Flat	6780 0F*8	50	50	400-450	600	460	360	--	--	--	80
SUBWAY 60 S	3309	0	100	400-460	600	460	370	--	--	80	--
SUBWAY 60 S Flat	3309 0F	0	100	400-450	600	460	370	--	--	80	--
SUBWAY STYLE 60	3361	0	100	400-460	600	460	370	--	--	80	--
SUBWAY STYLE 60	3362	100	0	400-460	600	460	370	--	--	--	80
SUBWAY STYLE 60 Flat	3361 0F	0	100	400-460	600	460	360	--	--	80	--
SUBWAY STYLE 60 Flat	3362 0F	100	0	400-460	600	460	360	--	--	--	80
SUBWAY STYLE 60 S Flat	3366 0F	0	100	400-450	600	460	370	--	--	80	--
SUBWAY 60 SU	3310	*6	*6	390-420	600	460	330	--	--	80	80
SUBWAY 60 XU	6758	*6	*6	390-420	600	460	330	--	--	80	80
SUBWAY 50 S	3315	0	100	400-460	600	460	370	--	--	80	--
SUBWAY 50 S Flat	3315 0F	0	100	400-460	600	460	360	--	--	80	--
SUBWAY STYLE 50	3351	0	100	400-460	600	460	370	--	--	80	--
SUBWAY STYLE 50	3352	100	0	400-460	600	460	360	--	--	--	80
SUBWAY STYLE 50 Flat	3351 0F	0	100	400-460	600	460	360	--	--	80	--
SUBWAY STYLE 50 Flat	3352 0F	100	0	400-460	600	460	360	--	--	--	80
SUBWAY 50 SU	3325	*6	*6	400-460	600	460	330	--	--	80	80
SUBWAY 45	6714*2	50	50	400-460	600	460	370	--	--	--	80
SUBWAY 45	6772*2	50	50	400-460	600	460	370	--	--	80	--
SUBWAY 45 Flat	6714 0F*2	50	50	400-450	600	460	360	--	--	--	80
SUBWAY 45 Flat	6772 0F*2	50	50	400-450	600	460	360	--	--	80	--
SUBWAY 45 Compact	3313	100	0	400-460	600	460	370	--	--	--	80
SUBWAY 45 Compact	3312	100	0	400-460	600	460	370	--	--	80	--
SUBWAY 45 XS	6781*8	100	0	400-460	600	460	370	--	--	--	80
SUBWAY 45 XS Flat	6781 0F*8	100	0	400-450	600	460	360	--	--	--	80
SUBWAY 45 SU	3324	*6	*6	400-460	600	460	330	--	--	80	80
SUBWAY STYLE 45	3347	50	50	400-460	600	460	370	--	--	--	80
SUBWAY STYLE 45	3348	50	50	400-450	600	460	360	--	--	80	--
SUBWAY STYLE 45 Flat	3347 0F	50	50	400-460	600	460	370	--	--	--	80
SUBWAY STYLE 45 Flat	3348 0F	50	50	400-450	600	460	360	--	--	80	--
TIMELINE 60	6790*4	100	0	400-460	600	460	370	--	--	80	80
TIMELINE 60 Flat	6790 0F*4	100	0	400-450	600	460	360	--	--	80	80
TIMELINE 50	3307*4	100	0	400-460	600	460	370	--	--	--	80
TIMELINE 50 Flat	3307 0F*4	100	0	400-460	600	460	360	--	--	--	80

INSTALLATION MEASUREMENTS

Surface-mounted installation








SPARE PARTS

POSSIBLE COMBINATIONS

€ excl. VAT


Undercounter (range with the cut-out dimensions*)

120 CM
Width of
undersink cabinet




CISTERNA 50 + CISTERNA 60C[1]
6703 + 6706

100 CM
Width of
undersink cabinet




CISTERNA 50 + CISTERNA 50[1]
6703 + 6703



CISTERNA 45 + CISTERNA 60C[1]
6704 + 6706


90 CM

Width of
undersink cabinet



CISTERNA 45 + CISTERNA 50[1]
6704 + 6703

80 CM
Width of
undersink cabinet




CISTERNA 45 + CISTERNA 45[1]
6704 + 6704

POSSIBLE COMBINATIONS


€ excl. VAT

Undercounter (range with the cut-out dimensions)

120 CM
Width of
undersink cabinet




SUBWAY 50 SU + SUBWAY 60 SU[1]
3325 + 3310




SUBWAY 60 SU + SUBWAY 60 SU[1]
3310 + 3310

100 CM
Width of
undersink cabinet




SUBWAY 50 SU + SUBWAY 50 SU[1]
3325 + 3325




SUBWAY 45 SU + SUBWAY 60 SU[1]
3324 + 3310

90 CM

Width of
undersink cabinet



SUBWAY 45 SU + SUBWAY 45 SU[1]
3324 + 3324



SUBWAY 45 SU + SUBWAY 50 SU[1]
3324 + 3325

Accessories (also required):	Ref.	PRICE
Drain connection for all shown Cisterna and Subway combinations.	8297 00 00	38,00

GENERAL SALES CONDITIONS OF VILLEROY&BOCH AG

Bathroom and Wellness Division – Status January 2025

I. General

1. These General Terms and Conditions of Sale and Delivery (hereinafter referred to as "conditions of sale") shall apply to all – i. e. also to future – quotations, supply of Goods and other related performance of services by Villeroy & Boch AG, including all its branches and group affiliated companies (hereinafter referred to as "Company", "we", "us" or "ourselves"), to professional customers who are not consumers (hereinafter referred to as "Purchasers"); the Purchaser and us jointly referred to as "the parties"

2. These conditions of sale shall, unless any other provision is expressly made, apply for the entire duration of the business relationship without its being necessary for us to make specific reference to it. The terms and conditions of the Purchaser shall not apply unless expressly recognized by us in writing. These conditions of sale shall also apply if These terms and conditions shall also apply if we deliver without objection to the customer's conflicting terms and conditions.

3. All separate arrangements agreed between us and the Purchaser upon conclusion of a commercial contract shall be confirmed in writing. Our employees are not authorized to provide any verbal undertakings which deviate from a written contractual agreement.

4. The latest version of the conditions of sale shall apply independent of any earlier version or edition of conditions of sale of the Company which may have previously been notified to the Purchaser.

II. Quotations

1. Unless designated as binding in their text, our quotations shall be deemed to be non-binding and without any obligation from our side. They shall not place us under any obligation to accept a given order. The Purchaser shall ensure that the terms of its order are complete and accurate.

2. Cancellation of an order is possible only with our consent, save where Purchaser has statutory rights of cancellation or rescission. Our consent to a cancellation shall be contingent upon the Purchaser bearing all costs and expenses accruing up to the time of cancellation and any losses which we may incur in this connection (e.g. loss of profit).

III. Prices and Deliveries

1. If the parties have not agreed on a price, the price shall always be determined according to our then current price lists valid at the time when the commercial contract is concluded.

2. All prices are exclusive of value added tax and/or any other taxes that would apply.

3. In the event of any increase in costs related to the object of the commercial contract amounting to 5 % or more compared to the costs that applied at the time of conclusion of the commercial contract, where such increases are not specifically foreseeable and where we bear no responsibility for such increase, we shall be entitled to pass on the increased costs by proportionately raising the agreed price at our reasonable discretion (price adjustment). Such price adjustment may, for example, relate to manufacturing, wage, material, storage, energy and freight costs, insurance premiums and public charges. Any such increase shall be applied for the purpose of a price adjustment if such increase is not off-set by any decreasing costs in other areas. On request, we will provide evidence of the cost increase. In the event of a price increase in excess of 10 %, the Purchaser shall be entitled to cancel the commercial contract within 14 days after receiving notification of the price increase.

4. Deliveries shall be executed in line with the contractually agreed terms. In the absence of any express agreement between the parties, deliveries shall be effected FCA (Incoterms 2020) from a warehouse of the Company in Germany or the Netherlands.

5. The delivery dates or periods stated in the order confirmation shall be estimated dates or periods and shall therefore be non-binding. They shall only be binding if confirmed as such in our order confirmation.

6. Unless any other contractual agreement has been made, the delivery period shall begin on the date of receipt of the written order confirmation provided by the Company

7. If a non-binding delivery date or period (as referred to in Section 7 below as "non-binding delivery period") is not met, we shall only be in default upon the expiry of a grace period and insofar we received a reminder in writing from the Purchaser, unless we can prove that we were not responsible for not meeting the non-binding delivery period or if execution of the delivery took place during the grace period. The length of the grace period shall be 1/5 of the non-binding delivery period. The grace period shall begin on the first working day that follows the end of the non-binding delivery period. If the length of the grace period is not an exact number of full days, weeks or months, it shall be rounded off to the nearest full number of days (example: non-binding delivery period 27 days, 1/5 = 5.4 days, grace period = rounded off to 5 days).

8. If a delivery period or date is not met for reasons for which we are not responsible, in particular in cases in which we ourselves have received a late or incorrect self-delivery or deliveries, the delivery period shall be extended by a reasonable period. We shall inform the Purchaser without delay in such case. If we are, furthermore, unable to render our performance within the extended period for such delivery, as set out above , we shall inform the Purchaser hereof without delay. In such case each of the parties shall have the right to rescind the contract within a period of two weeks beginning from the date when we inform the Purchaser. Having exercised said right of rescission, we shall reimburse the Purchaser without delay for any counter-performance that he may already have rendered. For the rest, any rights and/or obligations of the parties shall remain unaffected.

5. We shall be entitled to execute partial deliveries, insofar as this is reasonable for the Purchaser.

IV. Packaging

1. Unless any special packaging requirements have been agreed, the Goods shall be packaged at our discretion in accordance with the standard commercial methods. Any special carriage and/or packaging requirements of the Purchaser agreed to by the Company shall be charged to the Purchaser at cost.

2. If Goods are loaded on pooling pallets, delivery shall take place with direct pallet exchange with the haulage contractor. Purchaser must provide intact interchangeable pallets. Missing pallets will be invoiced to the Purchaser.

V. Risk on Goods

1. Risk in the Goods shall pass according to the agreed Incoterm.

2. Insurance shall only be taken out at the wish and expense of the Purchaser.

3. The Purchaser shall examine the Goods on delivery and shall promptly (but in any event within three working days of delivery) notify us in writing and the carrier, where relevant, of any apparent damage, defect and/or shortage. Where applicable, the Purchaser shall comply with the carrier's rules, regulations and requirements so as, where appropriate, to enable us to make a claim against the carrier in respect of any damage or loss in transit.

VI. Terms of payment

1. Unless any other agreement has been made, our claims for payment shall be due immediately upon receipt of invoice. The date that will be considered in order to determine whether or not payment has been made in due time shall be the date on which payment is actually received by the Company.

2. If it becomes apparent to us after conclusion of the commercial contract that there is a risk that the Purchaser may not be in a position to fulfil his payment obligations, we shall have the right to insist that outstanding deliveries be effected only against advance payment or against the provision of securities. If said advance payments have not been made or securities have not been provided after the expiry of a reasonable period set by ourselves, we shall be entitled to rescind all or any of the commercial contracts affected thereby or any part thereof. The period shall be regarded as reasonable if it is at least 10 calendar days, though the Purchaser shall also have the option of proving that the period was not reasonable in a given individual case. We shall in particular be entitled to take appropriate measures if one of the following circumstances occurs: if the Purchaser has drawn cheques not covered by sufficient funds, if cheques of the Purchaser are protested, if an application is made for the institution of insolvency proceedings or if insolvency proceedings are actually instituted against the Purchaser: the above notwithstanding our entitlement to assert further rights in such case.

3. Cheques will only be accepted following special agreement and in all cases only as conditional payment. Discount charges, collection fees and all other costs shall be chargeable to the Purchaser.

VII. Retention of title

1. We shall reserve ownership of the delivered Goods until such time as all payments arising from the existing business association with the Purchaser have been received; said reservation refers to the acknowledged balance.

2. The Purchaser shall have the right to resell Goods subject to retention of title in the normal course of business. The Purchaser may neither pledge the Goods subject to retention of title nor transfer title of them as security. The Purchaser hereby also assigns to us all claims which accrue to him from the resale for the value of the amount of the final invoice of our claim (inclusive of turnover tax). We hereby accept the assignment. The claims thus assigned to us in advance by the Purchaser also relates to the acknowledged balance and, in the case of insolvency of the Purchaser, to the existing causal balance. The limit of coverage for the assigned claims shall be 110 % of the actual value of the goods sold and delivered subject to retention of title. The Purchaser shall be empowered to collect the claim. Said empowerment to collect and authorization to resell may be revoked by us if the Purchaser is in breach of any of his material contractual obligations (e. g. default in payment) under these conditions of sale.

3. The Purchaser shall inform us immediately on any access by third parties to the Goods delivered by us subject to retention of title, also in case such access is about to occur. He shall inform third parties attempting (or intending to attempt) to take possession of the Goods that the latter are our property. Any costs for interventions shall be borne by the Purchaser if the third party is not in a position to reimburse us for the judicial and extrajudicial costs.

4. If the Purchaser is in breach of any of his material contractual obligations under these conditions of sale, in particular in case of default in payment, we shall have the right to recover the Goods and to visit the premises of the Purchaser for this purpose. Rescission of the contract is, furthermore, immanent in any such recovery of the Goods by us. We shall, after the recovery, be authorized to exploit the Goods commercially, whereby the proceeds from such exploitation are to be off-set against the liabilities of the Purchaser (e. g. damages) – minus reasonable exploitation costs. If the Purchaser was responsible for the breach that led to the rescission, he shall remit to us lump□sum compensation for the return transport of the Goods equal to an amount of 5% of the purchase price. This sum may be higher or lower if we can prove that the loss or damages were in reality more important or if the Purchaser can prove that it was in reality lower.

5. We shall, at any time, have the right to request information from the Purchaser onthe Goods delivered under retention of title provided they are still in his possession, where they are, and to which customers the remaining Goods supplied by us have been sold, said information relating to quantity, type and number. We shall also have the right to inspect the Goods delivered under retention of title on any of the Purchaser's premises, wherever the Goods may be at any given time.

6. The Purchaser has the obligation to treat the Goods with due care and shall carry out any necessary servicing and maintenance work at his own expense, to insure our Goods against fire and/or theft at his own expense. The Purchaser shall also provide us, on request, with proof that Purchaser has met its obligations under this section.

7. Any processing or re-modelling of the Goods by the Purchaser will always be carried out on our behalf. If the Goods are processed with other objects of which we are not the owner, we shall acquire co-ownership of the new object in proportion of the value of the Goods (final invoice amount inclusive of turnover tax) compared to the other processed objects at the time of processing. For the rest, the provisions governing retention of title shall apply correspondingly on the object created through the processing activity.

   As security against our claims against him, the Purchaser shall also assign to us the claims which accrue to him against a third party as a result of the combination of the Goods with other objects .

8. If the Purchaser can prove that the actual value of the securities exceeds the value of the outstanding claims by more than 10%, we shall release the surplus amount if this is requested in writing of the Purchaser.

VIII. Product specifications

1. Since we are continuously improving the design, specifications and the manufacturing of our Goods, and since the Goods are agreed to be supplied subject to reasonable availability to us of suitable materials, we reserve the right to, without notice, to substitute materials, components and units other than those stipulated in the commercial contract.

2. Whilst we seek to ensure consistent shades in the Goods, some variation is unavoidable, particularly between articles of different material or manufacture. All drawings, descriptive matter, colors and color samples, weights, dimensions, specifications, capacities, brochures, catalogues, price lists and all advertising materials are provided by Company for the sole purpose of identifying the Goods or giving an approximate idea of the nature of the Goods described therein, and no information contained in any of them shall be considered as an integral part of the commercial contract.

3. All drawings and specifications supplied by us are and shall remain our property and must not be reproduced or divulged by the Purchaser without our prior written permission.

4. If parties agree that Goods are produced and/or in accordance with specifications supplied by the Purchaser, the Purchaser shall be solely responsible for those specifications, ensuring that they are accurate and that the Goods supplied in accordance with those specifications are fit for the Purchaser's purpose.

5. If the Purchaser makes any subsequent changes to Goods supplied by us, in particular decorations or technical modifications, Purchaser

GENERAL SALES CONDITIONS OF VILLEROY&BOCH AG

Bathroom and Wellness Division – Status January 2025

shall not be permitted to resell them under our any of our trademarks unless we have explicitly agreed to such changes in writing and in advance.

IX. Warranty

1. Except for the provisions stipulated hereafter in this section, the statutory warranty regulations shall apply.

2. If the Goods are defective, we shall at our discretion be entitled either to rectify the defects (rectification of defects), deliver defect-free Goods (replacement delivery) or to give credit for price of the Goods.

3. The Purchaser shall store and handle rejected Goods in the correct and proper manner. We shall have the right to examine rejected Goods together with an expert or other third party appointed by ourselves for the purposes of appraisal, and if necessary for the purpose of drawing up cost estimates or similar. If the Purchaser fails to make the rejected Goods available to us for examination within a reasonable period set by ourselves, our liability for the defects shall cease on expiry of said period.

4. Where the design and/or specifications of the Goods that are subject of the warranty claim have been altered, we may at our option fulfil our obligations under the warranty by supplying replacement Goods with a new design and/or altered specifications.

5. Warranty claims of the Purchaser for damages or compensation shall be governed in Section X („Liability"), but shall otherwise be excluded.

6. As far as there is no different mandatory rule under the law, claims arising from a defect shall expire two years after delivery of the Goods. Claims for damages caused intentionally, as result of gross negligence, resulting into bodily injury or death, shall remain subject to the statutory period of limitation.

7. Our liability for defects shall not extend to cover damages caused by normal wear and tear (e. g. metal abrasion or wear caused by abrasive agents), deterioration in surface properties (unavoidable according to the accepted engineering standards at the time when the contract was concluded), improper use of the Goods, non-compliance with the instructions for cleaning, care or use, or damages caused by the Purchaser or a third party or if the Goods have been subject to alteration, modification, repair or an additional manufacturing process other than at the Company's factory and/or by persons not expressly selected and approved in writing by the Company.

X. Liability

1. We shall be liable in accordance with the applicable statutory provisions in relation to the reason and for the amount (a) if it is was proven that we acted intentionally and/or for gross negligence; (b) in case of damages that fall within the scope of protection of a guarantee issued by us; (c) in case of death or bodily injury we caused or (d) in case of damages caused in breach of the Product Liability Act.

2. In all other cases, we shall only be liable in the event of material breach (obligation the fulfilment of which is a prerequisite for the proper performance of the commercial contract and the observance of which the contractual partner regularly relies on and may rely on) and insofar limited to the typical damage foreseeable at the time of the conclusion of the contract. Liability, for whatever legal reason, for indirect damage, consequential damage or loss of profit shall be excluded.

3. If we fail to perform our obligations correctly under these conditions of sale, the Purchaser shall be entitled, on this basis, to claim sis of that default if his claim is for a contractual penalty or lump-sum compensation incurred within a supply chain in another contractual relationship in that supply chain, but only if he informed us expressly about the risk of such loss or damage prior to the conclusion of the commercial contract. If not, the Purchaser shall be entitled to claim for a contractual penalty or lump-sum compensation owed and paid by him as loss or damage caused by default only in the amount of a maximum of 5% of the net value of the relevant order. The same shall apply if the Purchaser makes a claim against us for indemnification in respect of such contractual penalties or lump-sum compensation. The above limitations of liability shall not apply in case damages have been caused intentionally, in result of gross negligence and/or in case of death or bodily injury.

4. For the rest, the Purchaser shall not be entitled to claim any other damages from Company

5. Insofar we restricted our liability in this section, the the same restrictions shall apply to the personal liability of our legal representatives, employees, non-managerial staff and vicarious agents.

XI. Off-set, right of retention

The Purchaser shall only be entitled to a right of retention or a right to off-set insofar this is legally enforceable or for undisputed claims. This restriction shall not apply to counterclaims of the Purchaser due to defects and/or partial non-performance of the commercial contract, for cases where such counter-claims are based on the same commercial contract as our claim.

XII. Industrial proprietary rights

1. All industrial and intellectual property rights relating to the Goods, our products, shapes, illustrations, installation instructions, reports, data and other records and documents shall remain our property or, as the case may be, our respective licensors.

2. Where all or any of the Goods or packaging for such Goods is produced based on Purchaser's specifications, the Purchaser shall indemnify us against all actions, claims, costs, damages, expenses or losses arising from any infringement or alleged infringement of registered design, trade mark, patent, design right, copyright or any similar protection in respect of such Goods or related packaging.

XIII. Data protection

1. We will process your personal data (e.g. name, e-mail address, telephone and fax number) solely in accordance with the relevant legal provisions, in particular GDPR. We will use your data solely for the purpose for which you provide them to us (e.g. for handling orders and payments, for delivery of the goods) and for the purpose of carrying out our own business. The relevant legal basis is provided by our legitimate interest in order to execute standard business operations and for the implementation of contracts pursuant to Article 6, sub-section 1, letter f of the GDPR (general data protection regulation of EU)

2. Our central CRM database helps us to manage our relationships with customers, interested parties and partners. The purpose of this database is to enable us to pursue individual customer relations and to respond quickly to inquiries. The relevant legal basis is provided by our legitimate interest pursuant to Article 6, sub-section 1, letter f of the GDPR in the fast and efficient processing of inquiries from customers, potential customers and partners, supporting our processes in the areas of service, sales and marketing by an experienced and reliable partner and in reducing our own scope of work and expenditure with regard to the necessary IT infrastructure. The provider of our CRM system is based in a third country. Data processing is safeguarded by a processing contract and the standard EU contract clauses have been agreed with this provider.

3. Further information concerning matters such as your rights as a data subject and the contact details of our data protection officer are to be found in our data privacy statement at: https://www.villeroy-boch.it/datenschutz.html

XIV. Force Majeure

1. If the continued performance of contractual obigations of the Company has become excessively onerous due to an event beyond its reasonable control which it could not reasonably have been expected to have taken into account at the time of the conclusion of the contract; and that it could not reasonably have avoided or overcome the event or its consequences, the parties are bound, within a reasonable time of the invocation of this clause, to negotiate alternative contractual terms which reasonably allow to overcome the consequences of the event ("Force Majeure Event"). We may elect at sole discretion (a) to cancel the commercial contract and refund to the Purchaser any sums paid by the Purchaser, following which we shall have no further obligation or liability to the Purchaser; (b) to reduce the volume of the Goods ordered and/or to defer the date of delivery of the Goods or (c) to perform or complete performance of the commercial contract within a reasonable time following termination of the Force Majeure Event.

2. In case of Force Majeure, we shall decide whether the Purchaser has to accept the Goods (in whole or partly).

XV. Applicable law, place of jurisdiction

1. The laws of Germany shall apply, to the exclusion of the UN Convention on Contracts for the International Sale of Goods.

   If the Purchaser is a professional who concludes the contract in the context of a commercial transaction, a legal entity under public law or a separate asset under public law, the place of jurisdiction for all disputes arising from or in connection with the commercial contract shall be the registered offices of the Villeroy & Boch Group company which concluded the contract with the Purchaser.

XVI. Export

1. The Purchaser shall be responsible for complying with any legislation or regulations governing the importation of the Goods into the country of destination and their sale therein and for the payment of any duties thereon. The Purchaser agrees to comply with all applicable economic or financial sanctions, restrictive measures, trade embargoes or export control laws, including but not limited to those imposed, administered or enforced from time to time by (i) the United Nations Security Council, (ii) the United States, (iii) the European Union or any Member State thereof, (iv) the United Kingdom, or (v) the respective governmental institutions of any of the foregoing including, without limitation, the Office of Foreign Assets Control, the U.S. Department of Commerce, the U.S. Department of State, any other agency of the U.S. government, and Her Majesty's Treasury ("Sanctions and Export Control Laws").

2. The Purchaser shall not sell, export or re-export, directly or indirectly, to the Russian Federation or for use in the Russian Federation any Goods supplied under or in connection with this terms that fall under the scope of Article 12g of Council Regulation (EU) No 833/2014.

3. The Purchaser shall undertake its best efforts to ensure that the purpose of paragraph (1) is not frustrated by any third parties further down the commercial chain, including by possible resellers.

4. The Purchaser shall set up and maintain an adequate monitoring mechanism to detect conduct by any third parties further down the commercial chain, including by possible resellers, that would frustrate the purpose of paragraph (1).

5. Any violation of paragraphs (1), (2) or (3) shall constitute a material breach of an essential element of the present conditions of sale, and we shall be entitled to seek appropriate remedies, including, but not limited to (a) termination of the order and (b) a penalty of 25% of the total value of the order or price of the Goods exported, whichever is higher.

6. The Purchaser shall immediately inform us about any problems in applying paragraphs (1), (2) or (3), including any relevant activities by third parties that could frustrate the purpose of paragraph (1). The Purchaser shall make available to us information concerning compliance with the obligations under paragraph (1), (2) and (3) within two weeks of the simple request of such information.

INDEX

Ref.	Page
3307 01 XX	36
3307 02 XX	36
3307 1F XX	73
3307 2F XX	73
3309 01 XX	26
3309 02 XX	26
3309 1F XX	64
3309 2F XX	64
3310 01 XX	51
3310 02 XX	51
3312 01 XX	40
3312 02 XX	40
3313 01 XX	40
3313 02 XX	40
3315 01 XX	35
3315 02 XX	35
3315 1F XX	72
3315 2F XX	72
3324 01 XX	54
3324 02 XX	54
3325 01 XX	53
3325 02 XX	53
3334 01 XX	39
3334 02 XX	39
3334 1F XX	75
3334 2F XX	75
3335 01 XX	31
3335 02 XX	31
3335 1F XX	68
3335 2F XX	68
3336 01 XX	20
3336 02 XX	20
3336 1F XX	58
3336 2F XX	58
3337 01 XX	21
3337 02 XX	21
3337 1F XX	59
3337 2F XX	59
3340 01 XX	37
3340 02 XX	37
3345 01 XX	32
3345 02 XX	32
3345 1F XX	69
3345 2F XX	69
3346 01 XX	22
3346 02 XX	22
3346 1F XX	60
3346 2F XX	60
3347 01 XX	41
3347 02 XX	41
3347 1F XX	76
3347 2F XX	76
3348 01 XX	41
3348 02 XX	41
3348 1F XX	76
3348 2F XX	76
3350 01 XX	29
3350 02 XX	29
3351 01 XX	33
3351 02 XX	33
3351 1F XX	70
3351 2F XX	70
3352 01 XX	33
3352 02 XX	33
3352 1F XX	70
3352 2F XX	70
3355 01 XX	34
3355 02 XX	34
3355 1F XX	71
3355 2F XX	71
335A 01 XX	34
335A 02 XX	34
335A 1F XX	71
335A 2F XX	71
3360 01 XX	17
3360 02 XX	17
3361 01 XX	23
3361 02 XX	23
3361 1F XX	61
3361 2F XX	61
3362 01 XX	23
3362 02 XX	23
3362 1F XX	61
3362 2F XX	61
3365 01 XX	18
3365 02 XX	18
3366 01 XX	24
3366 02 XX	24
3366 1F XX	62
3366 2F XX	62
336A 01 XX	24
336A 02 XX	24
336A 1F XX	62
336A 2F XX	62
3380 01 XX	16
3380 02 XX	16
3384 01 XX	38
3384 02 XX	38
3384 1F XX	74
3384 2F XX	74
3385 01 XX	30
3385 02 XX	30
3385 1F XX	67
3385 2F XX	67
3386 01 XX	19
3386 02 XX	19
3386 1F XX	57
3386 2F XX	57
3388 01 XX	47
3388 02 XX	47
3390 01 XX	44
3391 01 XX	43
6320 61 XX	80
6320 62 XX	80
6323 91 XX	79
6323 92 XX	79
6703 01 XX	49
6703 02 XX	49
6704 01 XX	50
6704 02 XX	50
6706 01 XX	48
6706 02 XX	48
6708 01 XX	81
6708 02 XX	81
6712 01 XX	25
6712 02 XX	25
6712 1F XX	63
6712 2F XX	63
6738 03 XX	45
6758 01 XX	52
6758 02 XX	52
6770 01 XX	25
6770 02 XX	25
6770 1F XX	63
6770 2F XX	63
6780 01 XX	27
6780 02 XX	27
6780 1F XX	65
6780 2F XX	65
6781 01 XX	42
6781 02 XX	42
6781 1F XX	77
6781 2F XX	77
6790 01 XX	28
6790 02 XX	28
6790 1F XX	66
6790 2F XX	66
8299 05 XX	101
8299 06 XX	101
8299 10 XX	102
8331 00 XX	104
8341 00 XX	104
8345 47 XX	102
8397 00 XX	104
8K04 00 XX	104
8K06 00 XX	104
8K09 00 XX	104
8K12 00 XX	104
8K31 00 XX	104
8K33 10 XX	101
8K36 10 XX	101
8K37 00 XX	102
8K38 00 XX	103
8K42 10 XX	103
8K44 00 XX	104-105
8K45 00 XX	105
9220 58 XX	104
9236 20 XX	99
9236 30 XX	99
9240 00 XX	84
9251 00 XX	85
9251 74 00	105
9252 00 XX	86
9253 00 XX	98
9254 00 XX	98
9257 00 XX	88
9258 00 XX	88
9270 00 XX	89
9271 00 XX	89
9273 00 XX	93
9278 00 XX	87
9279 00 XX	87
9280 00 XX	93
9281 00 XX	90
9282 00 XX	90
9285 00 XX	97
9286 00 XX	91
9299 00 XX	94
9405 25 XX	104
9405 26 XX	103
9405 35 XX	104
9405 36 XX	103
9624 15 XX	101
9624 20 XX	105
9668 01 XX	92
9697 01 XX	95
9699 01 XX	96
9841 00 XX	104
9849 00 XX	104
9850 00 XX	104
9K04 00 XX	102
9K08 00 XX	101
9K09 00 XX	104
9K10 00 XX	104
9K11 00 XX	104
9K12 00 XX	104
9K13 00 XX	102
9K14 00 XX	103
9K15 00 XX	105
9K16 00 XX	105

Villeroy & Boch
1748

Notes

Villeroy & Boch
1748

Notes

VILLEROY & BOCH

Villeroy & Boch AG
Bathroom and Wellness Division
Headquarters
D-66693 Mettlach
GERMANY

Tel. +49 (0) 6864-81-0
Fax +49 (0) 6864-81-1405

Shades and dimensions subject to the usual tolerances.
We reserve the right to make modifications to the range and alter colours.